
Led Downlight Plaster square 120x120 CO75mm closed IP44 white GU10 LH



Led Downlight Plaster square 120x120 CO75mm closed IP44 white GU10 LH			
ARTICLE_NUMBER:	410016.00A		
CHANGED_LAST:	11-08-2025		
BRAND:	Daylight Italia		
ETIM_GROUP:	EG000028 - Lamps		
ETIM_CLASS:	EC001959 - LED-lamp/Multi-LED		
SYNONYM:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster		





0





FEATURES

Colour:	Lamp power:	
Socket:	Luminous flux:	
Housing colour:	Colour consistency (McAdam ellipse):	
Dimmable:	Total harmonic distortion:	
Voltage type:	Photobiological safety according to EN 62471:	
With movement sensor:	Dimming phase cut-off (trailing edge):	
With twilight switch:	Dimming phase cut-on (leading edge):	
Colour rendering index CRI:	Dimming Touch and Dim:	
With remote control:	Dimming Zigbee:	
Diameter:	No dim function:	
Suitable for electronic ballast:	Lamp designation:	
Lamp efficacy:	Filament lamp:	
Luminous intensity:	Min. number of switching cycles:	
Lamp shape:	Beam angle:	
Length:	Rated luminous flux according to IEC 62612:	
Remote operation possible:	Compatible with Apple HomeKit:	
Nominal voltage:	Compatible with Google Assistant:	
Degree of protection (IP):	Compatible with Amazon Alexa:	
Colour of light according to EN 12464-1:	Suitable for magnetic ballast:	
Type of glass/cover:	Energy efficiency class according to EU regulation 2019/2015:	-
Average nominal lifetime:	Dimming Bluetooth:	
Nominal current:	Dimming Wi-Fi:	
Colour temperature:	Material of light bulb:	
Weighted energy consumption in 1000 hours:	·	
IFTTT support available:	Power factor:	

PACKING_INFORMATION

PACKING_CODE BX

PACKING_FORM

Box

A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the producthic/p>

STATISTICS 85389099







