

## Led Downlight Plaster round 130x60 CO75mm closed IP44 white GU10 LH



Led Downlight Plaster round 130x60 CO75mm closed IP44 white GU10 LH	
ARTICLE_NUMBER:	410017.00A
CHANGED_LAST:	11-08-2025
BRAND:	Daylight Italia
ETIM_GROUP:	EG000027 - Luminaires
ETIM_CLASS:	EC001701 - Recessed mounted ceiling- and wall luminaire
SYNONYM:	Ceiling and wall luminaire, Downlighter, FL luminaire, Fluorescent luminaire, Grid luminaire, Gym luminaire, Halogen luminaire, Lighting fixture, Luminaire



## FEATURES

Protection class according to IEC 61140:	--	Suitable for light line configuration:	NO
Width:	120 mm	Suitable for emergency lighting:	NO
Outer diameter:	-mm	Suitable for wall build in:	NO
Lamp power:	-W	Filament test according to IEC 695-2-1:	NO
Reflector:	-W	Light outlet:	NO
Circuit:	-W	Light distribution:	NO
Suitable for loop-through wiring:	NO	Material cover:	Other
Lamp holder:	Other	Material grid:	Other
Housing colour:	Other	Clean room class:	Other
Dimmable:	NO	Impact strength:	Other
Built-in depth:	-mm	Ignitor:	Not required
Type of grid:	-mm	Nominal voltage:	- V
Type of control gear:	Not required	Degree of protection (IP):	- V
Built-in width:	75 mm	With light source:	NO
Built-in diameter:	-mm	Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24:	NO
Ball-proof:	NO	Fire resistance "F":	NO
Length:	120 mm	Fire resistance "FF":	NO
Height/depth:	-mm	Covering of the luminaire with thermally insulating material possible:	NO
Housing material:	Plastic	Furniture installation, fire protection "M":	NO
Lamp type:	Other	Furniture installation, fire protection "MM":	NO
Type of luminaire:	Other	Suitable for number of light sources:	1
Anti-glare limiting UGR lengthwise:	Other	Surface finishing:	Matt
Anti-glare limiting UGR crosswise:	Other	With control gear:	NO
Direct-/indirect proportion separately controllable:	NO	With ignitor:	NO
Built-in length:	75 mm	Suitable for workplace according to EN 12464-1:	NO
Electrical connection with connector system:	NO	Lamp power at multiwatt:	NO
Extreme-temperature:	- °C	Diameter lamp:	-mm
Colour cover:	None	Swivelling model:	NO
Colour controllable (RGB):	NO	Grid perforated:	NO
Adjustable colour temperature:	NO	Reflector perforated:	NO

## PACKING\_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p>
STATISTICS	85389099

