

LED E27 UFO R200x100mm 230V 1800Lm 20W 2700K 827 120° AC DIM



ARTICLE_NUMBER:	SPL652011827
CHANGED_LAST:	13-08-2025
BRAND:	SPL,Schiefer
ETIM_GROUP:	EG000028 - Lamps
ETIM_CLASS:	EC001959 - LED-lamp/Multi-LED
SYNONYM:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



FEATURES

Colour:	White	Lamp power:	20.000 W
Socket:	E27	Luminous flux:	792.000 ~ 968.000
Housing colour:	White	Colour consistency (McAdam ellipse):	SDCM6
Dimmable:	NO	Total harmonic distortion:	SDCM6
Voltage type:	AC	Photobiological safety according to EN 62471:	RG0
With movement sensor:	NO	Dimming phase cut-off (trailing edge):	YES
With twilight switch:	NO	Dimming phase cut-on (leading edge):	YES
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	NO
With remote control:	NO	Dimming Zigbee:	NO
Diameter:	200 mm	No dim function:	NO
Suitable for electronic ballast:	NO	Lamp designation:	NO
Lamp efficacy:	90 lm/W	Filament lamp:	NO
Luminous intensity:	556 cd	Min. number of switching cycles:	12500
Lamp shape:	Reflector	Beam angle:	120.000 °
Length:	100 mm	Rated luminous flux according to IEC 62612:	880 lm
Remote operation possible:	NO	Compatible with Apple HomeKit:	NO
Nominal voltage:	220.000 ~ 240.000	Compatible with Google Assistant:	NO
Degree of protection (IP):	IP20	Compatible with Amazon Alexa:	NO
Colour of light according to EN 12464-1:	Warm white < 3300 K	Suitable for magnetic ballast:	NO
Type of glass/cover:	Other	Energy efficiency class according to EU regulation 2019/2015:	F
Average nominal lifetime:	25000 h	Dimming Bluetooth:	NO
Nominal current:	83.000 ~ 91.000	Dimming Wi-Fi:	NO
Colour temperature:	2700.000 K	Material of light bulb:	NO
Weighted energy consumption in 1000 hours:	20 kWh	Total harmonic distortion (THD):	NO
IFTTT support available:	NO	Power factor:	0.5

PACKING_INFORMATION

WEIGHT	171 gr
PACKING_CODE	BX
PACKING_FORM	Box A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product
STATISTICS	85395200

