

Punto luce base gold Satellite E27 2700K clear gold



The Punto luce gold table lamp is a sleek and compact lighting solution for desks and tables. This lamp features a clear E27 bulb at 2700K and is part of the SATELLITE series, known for its modern design and high-quality finish. It provides warm light and is perfect for cozy lighting at home or in the office. Bulb included and suitable for various applications.

ARTICLE_NUMBER:	810199.00A
CHANGED_LAST:	17-09-2025
BRAND:	Daylight Italia
ETIM_GROUP:	EG000027 - Luminaires
ETIM_CLASS:	EC000302 - Table luminaire
SYNONYM:	Desk lamp, Desk luminaire, Floor luminaire, Housing lighting luminaire, Loupe light, Office luminaire, Table lamp, Table luminaire, Workplace lighting lamp



FEATURES

Mounting method:	Stand (base)	Rated lifetime L80/B50 at 25 °C:	-h
Protection class according to IEC 61140:	Stand (base)	Colour consistency (McAdam ellipse):	-h
Width:	-mm	Photobiological safety according to EN 62471:	-h
Lamp holder:	E27	Dimming 0-10 V:	NO
Housing colour:	Gold	Dimming 1-10 V:	NO
Dimmable:	YES	Dimming DALI:	NO
Voltage type:	DC	Dimming DMX:	NO
With dimmer:	NO	Dimming potentiometer (integrated):	NO
Suitable for lamp power:	4 W	Dimming LineSwitch:	NO
With socket outlet:	NO	Dimming manufacturer's proprietary system:	NO
Type of control gear:	Not required	Dimming mains voltage modulation:	NO
Adjustable:	YES	Dimming phase cut-off (trailing edge):	YES
Colour rendering index CRI:	90-100	Dimming phase cut-on (leading edge):	NO
Diameter:	125 mm	Dimming programmable:	NO
Suitable for wall mounting:	NO	Dimming RF:	NO
With switch:	YES	Dimming Sine Wave Reduction:	NO
Bendable:	NO	Dimming Touch and Dim:	NO
Length:	178 mm	Dimming Zigbee:	NO
Height/depth:	-mm	Dimming with push-button:	NO
Housing material:	Plastic	No dim function:	NO
Lamp type:	LED exchangeable	Light distributor:	Reflector
Type of luminaire:	Other	Luminaire efficacy:	122 lm/W
Direct-/indirect proportion separately controllable:	NO	Dimming DSI:	NO
Electrical connection with connector system:	NO	Operation by Bluetooth:	NO
Colour cover:	NO	Compatible with Apple HomeKit:	NO
Material cover:	Without cover	Compatible with Google Assistant:	NO
Nominal voltage:	220 ~ 240	Compatible with Amazon Alexa:	NO
With light source:	YES	Dimming DALI-2:	NO
Suitable for number of light sources:	1	Colour of light adjustable:	No
With control gear:	NO	Luminous flux adjustable:	No
Suitable for workplace according to EN 12464-1:	NO	Beam angle adjustable:	Continuously variable
Colour temperature:	2700 K	Exchangeable control gear:	NO
Max. system power:	4 W	Compatible with Casambi:	NO
Rated luminous flux according to IEC 62722-2-1:	470 lm	Energy efficiency class of the light source according to EU regulation 2019/2015:	NO
Colour of light:	White	Rated luminous flux according to IEC 62722-2-1:	NO
Constant light output (CLO):	NO	Containing product according to 2019/2020/EU:	NO
IFTTT support available:	NO	Adjustable height:	NO
Rated lifetime L70/B50 at 25 °C:	-h	Power factor:	NO

PACKING_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be

completely enveloped and made of any material. Although
some boxes are suitable for reuse or rescue, they can also be
for one -off use, depending on the producti</p>

STATISTICS 94051041

