


DOTS Connection Cable 1.5m gold



ARTICLE_NUMBER:	CABTO68
CHANGED_LAST:	22-09-2025
BRAND:	Daylight Italia
ETIM_GROUP:	EG000053 - Batteries, chargers and power cords
ETIM_CLASS:	EC001576 - Power cord
SYNONYM:	Cable, CEE adapter, CEE adapter cable, Conduit, Connecting cord, Flat cable, Multiple outlet strip, Power cord, Spiral cord



FEATURES

Nominal current:	-A	With cord switch:	NO
Nominal cross section conductor:	-mm ²	With protective conductor:	NO
Connection 1:	-mm ²	System-oriented connector system:	NO
Connection 2:	-mm ²	Oil resistant according to EN IEC 60811-404:	NO
Frequency:	NA Hz	Reaction-to-fire according to EN 13501-6:	NO
		Class:	
Length:	-m	Reaction-to-fire according to EN 13501-6:	NO
		Smoke production:	
Colour outer sheath:	-m	Reaction-to-fire according to EN 13501-6:	NO
		Flaming droplets/particles:	
Material outer sheath:	-m	Reaction-to-fire according to EN 13501-6:	NO
		Acidity:	
Number of cores:	-m	Connection type according to IEC 60320,	NO
		connection 1:	
Spiralized cable:	NO	Connection type according to IEC 60320,	NO
		connection 2:	
Temperature resistance:	NA °C	Cable entry connection 1:	NO
Outer diameter approximate:	-mm	Cable entry connection 2:	NO
Nominal voltage:	NA V	With personal protection PRCD:	NO

PACKING_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p>
STATISTICS	85444290

