

LED STICK E27 50x145 mm AC 100-240V 15W 3000K 1350Lm Toplux



LED STICK E27 50x145 mm AC 100-240V 15W 3000K 1350Lm Toplux

ARTICLE_NUMBER: L275045553

CHANGED_LAST: 22-09-2025

BRAND: Toplux

ETIM_GROUP: EG000028 - Lamps

ETIM_CLASS: EC001959 - LED-lamp/Multi-LED

SYNONYM: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



FEATURES

Colour:	White	Lamp power:	15 W
Socket:	E27	Luminous flux:	1350 lm
Housing colour:	White	Colour consistency (McAdam ellipse):	1350 lm
Dimmable:	NO	Total harmonic distortion:	1350 lm
Voltage type:	AC	Photobiological safety according to EN 62471:	1350 lm
With movement sensor:	NO	Dimming phase cut-off (trailing edge):	NO
With twilight switch:	NO	Dimming phase cut-on (leading edge):	NO
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	NO
With remote control:	NO	Dimming Zigbee:	NO
Diameter:	50 mm	No dim function:	NO
Suitable for electronic ballast:	NO	Lamp designation:	Other
Lamp efficacy:	-lm/W	Filament lamp:	NO
Luminous intensity:	-cd	Min. number of switching cycles:	100000
Lamp shape:	Tube, single-ended	Beam angle:	200 °
Length:	145 mm	Rated luminous flux according to IEC 62612:	-lm
Remote operation possible:	NO	Compatible with Apple HomeKit:	NO
Nominal voltage:	220 ~ 240	Compatible with Google Assistant:	NO
Degree of protection (IP):	IP20	Compatible with Amazon Alexa:	NO
Colour of light according to EN 12464-1:	Warm white < 3300 K	Suitable for magnetic ballast:	NO
Type of glass/cover:	Frosted	Energy efficiency class according to EU regulation 2019/2015:	NO
Average nominal lifetime:	25000 h	Dimming Bluetooth:	NO
Nominal current:	- mA	Dimming Wi-Fi:	NO
Colour temperature:	3000 K	Material of light bulb:	NO
Weighted energy consumption in 1000 hours:	15 kWh	Total harmonic distortion (THD):	NO
IFTTT support available:	NO	Power factor:	0.5

PACKING_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product
STATISTICS	85395200

