0







Magoo black battery + Led Fil ST64 E27 5V gold







Magoo black battery + Led Fil ST64 E27 5	V gold
ARTICLE_NUMBER:	810180.00A
CHANGED_LAST:	22-09-2025
BRAND:	Daylight Italia
ETIM_GROUP:	EG000027 - Luminaires
ETIM_CLASS:	EC000302 - Table luminaire
SYNONYM:	Desk lamp, Desk luminaire, Floor luminaire, Housing lighting luminaire, Loupe light, Office luminaire, Table lamp, Table luminaire, Workplace lighting lamp





0



FEATURES

Mounting method:	Stand (base) Rated lifetime L80/B50 at 25 °C:	15000 h
Protection class according to IEC 61140:	Stand (base) Colour consistency (McAdam ellipse):	15000 h
Width:	-mm Photobiological safety according to EN 62471:	15000 h
Lamp holder:	E27 Dimming 0-10 V:	NO
Housing colour:	Black Dimming 1-10 V:	NO
Dimmable:	YES Dimming DALI:	NO
Voltage type:	DC Dimming DMX:	NO
With dimmer:	NO Dimming potentiometer (integrated):	NO
Suitable for lamp power:	1.3 W Dimming LineSwitch:	NO
With socket outlet:	NO Dimming manufacturer's proprietary system:	NO
Type of control gear:	Not required Dimming mains voltage modulation:	NO
Adjustable:	NO Dimming phase cut-off (trailing edge):	NO
Colour rendering index CRI:	80-89 Dimming phase cut-on (leading edge):	NO
Diameter:	64 mm Dimming programmable:	NO
Suitable for wall mounting:	NO Dimming RF:	NO
With switch:	NO Dimming Sine Wave Reduction:	NO
Bendable:	NO Dimming Touch and Dim:	YES
Length:	146 mm Dimming Zigbee:	NO
Height/depth:	-mm Dimming with push-button:	NO
Housing material:	Other No dim function:	NO
Lamp type:	LED exchangeable Light distributor:	NO
Type of luminaire:	Desk luminaire Luminaire efficacy:	61.5 lm/W
Direct-/indirect proportion separately	NO Dimming DSI:	
controllable:		
Electrical connection with connector system:	NO Operation by Bluetooth:	NO
Colour cover:	NO Compatible with Apple HomeKit:	NO
Material cover:	Without cover Compatible with Google Assistant:	
	This base cover.	NO
Nominal voltage:	5 V Compatible with Amazon Alexa:	NO NO
Nominal voltage: With light source:		
	5 V Compatible with Amazon Alexa:	NO
With light source:	5 V Compatible with Amazon Alexa: YES Dimming DALI-2: 1 Colour of light adjustable:	NO NO
With light source: Suitable for number of light sources:	5 V Compatible with Amazon Alexa: YES Dimming DALI-2: 1 Colour of light adjustable:	NO NO No
With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN	5 V Compatible with Amazon Alexa: YES Dimming DALI-2: 1 Colour of light adjustable: NO Luminous flux adjustable: NO Beam angle adjustable:	NO NO No
With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1:	5 V Compatible with Amazon Alexa: YES Dimming DALI-2: 1 Colour of light adjustable: NO Luminous flux adjustable: NO Beam angle adjustable:	NO NO NO NO NO
With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature:	5 V Compatible with Amazon Alexa: YES Dimming DALI-2: 1 Colour of light adjustable: NO Luminous flux adjustable: NO Beam angle adjustable: 2500 K Exchangeable control gear:	NO NO NO NO NO NO NO
With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature: Max. system power: Rated luminous flux according to IEC	SV Compatible with Amazon Alexa: YES Dimming DALI-2: 1 Colour of light adjustable: NO Luminous flux adjustable: NO Beam angle adjustable: 2500 K Exchangeable control gear: 1.3 W Compatible with Casambi: 80 Im Energy efficiency class of the light source according to EU regulation 2019/2015:	NO NO NO NO NO NO O O O O O O O O O O O
With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature: Max. system power: Rated luminous flux according to IEC 62722-2-1:	S V Compatible with Amazon Alexa: YES Dimming DALI-2: 1 Colour of light adjustable: NO Luminous flux adjustable: NO Beam angle adjustable: 2500 K Exchangeable control gear: 1.3 W Compatible with Casambi: 80 Im Energy efficiency class of the light source according to EU regulation 2019/2015: White Rated luminous flux according to IEC 62722-2-1:	NO NO NO NO NO NO G G
With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature: Max. system power: Rated luminous flux according to IEC 62722-2-1: Colour of light:	S V Compatible with Amazon Alexa: YES Dimming DALI-2: 1 Colour of light adjustable: NO Luminous flux adjustable: NO Beam angle adjustable: 2500 K Exchangeable control gear: 1.3 W Compatible with Casambi: 80 Im Energy efficiency class of the light source according to EU regulation 2019/2015: White Rated luminous flux according to IEC 62722-2- 1: NO Containing product according to 2019/2020/EU:	NO NO NO NO G G G G
With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature: Max. system power: Rated luminous flux according to IEC 62722-2-1: Colour of light: Constant light output (CLO):	S V Compatible with Amazon Alexa: YES Dimming DALI-2: 1 Colour of light adjustable: NO Luminous flux adjustable: NO Beam angle adjustable: 2500 K Exchangeable control gear: 1.3 W Compatible with Casambi: 80 Im Energy efficiency class of the light source according to EU regulation 2019/2015: White Rated luminous flux according to IEC 62722-2- 1: NO Containing product according to 2019/2020/EU:	NO NO NO NO G G G NO

PACKING_INFORMATION

WEIGHT 0 gr PACKING_CODE ВХ Box
A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be PACKING_FORM

PAGE 2/4







+31 (0)76 - 59 712 20

 \bowtie info@vezalux.nl





completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one -off use, depending on the producthi-/p>

STATISTICS 94051140



0











