





Magoo brushed brass battery + Led Fil EOS E27 5V cristal



Manager Issues Is a all Issue		E1 E00 E0	7 5 1 /: - 4 - 1
Magoo brushed bra	iss dattery + Led	FII EUS EZ	/ 5V cristal

ARTICLE_NUMBER: 810193.00A

CHANGED_LAST:

BRAND: Daylight Italia

ETIM_GROUP: EG000027 - Luminaires

ETIM_CLASS: EC000302 - Table luminaire

SYNONYM: Desk lamp, Desk luminaire, Floor

luminaire, Housing lighting luminaire, Loupe light, Office luminaire, Table lamp, Table luminaire, Workplace lighting lamp





0







FEATURES

Mounting method:	Stand (base)	Rated lifetime L80/B50 at 25 °C:	15000 h
Protection class according to IEC 61140:	Stand (base) Colo	our consistency (McAdam ellipse):	15000 h
Width:	-mm Photobiologic	cal safety according to EN 62471:	15000 h
Lamp holder:	E27	Dimming 0-10 V:	NO
Housing colour:	Brass	Dimming 1-10 V:	NO
Dimmable:	YES	Dimming DALI:	NO
Voltage type:	DC	Dimming DMX:	NO
With dimmer:	NO Dir	mming potentiometer (integrated):	NO
Suitable for lamp power:	1.3 W	Dimming LineSwitch:	NO
With socket outlet:	NO Dimming m	nanufacturer's proprietary system:	NO
Type of control gear:	Not required Dir	mming mains voltage modulation:	NO
Adjustable:	NO Dimi	ming phase cut-off (trailing edge):	NO
Colour rendering index CRI:	90-100 Dimn	ming phase cut-on (leading edge):	NO
Diameter:	90 mm	Dimming programmable:	NO
Suitable for wall mounting:	NO	Dimming RF:	NO
With switch:	NO	Dimming Sine Wave Reduction:	NO
Bendable:	NO	Dimming Touch and Dim:	YES
Length:	163 mm	Dimming Zigbee:	NO
Height/depth:	-mm	Dimming with push-button:	NO
Housing material:	Other	No dim function:	NO
Lamp type:	LED exchangeable	Light distributor:	NO
Type of luminaire:	Desk luminaire	Luminaire efficacy:	84.62 lm/W
Direct-/indirect proportion separately	NO	Dimming DSI:	NO
controllable:			
Electrical connection with connector system:	NO	Operation by Bluetooth:	NO
Colour cover:	NO		
Add at the		Compatible with Apple HomeKit:	NO
Material cover:		Compatible with Apple HomeKit: Compatible with Google Assistant:	NO NO
Nominal voltage:			
	Without cover C	Compatible with Google Assistant:	NO
Nominal voltage:	Without cover C	Compatible with Google Assistant: Compatible with Amazon Alexa:	NO NO
Nominal voltage: With light source:	Without cover C 5 V YES	Compatible with Google Assistant: Compatible with Amazon Alexa: Dimming DALI-2:	NO NO NO
Nominal voltage: With light source: Suitable for number of light sources:	Without cover C 5 V YES 1	Compatible with Google Assistant: Compatible with Amazon Alexa: Dimming DALI-2: Colour of light adjustable:	NO NO NO No No
Nominal voltage: With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN	Without cover CO 5 V YES 1 NO	Compatible with Google Assistant: Compatible with Amazon Alexa: Dimming DALI-2: Colour of light adjustable: Luminous flux adjustable: Beam angle adjustable:	NO NO NO No No
Nominal voltage: With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1:	Without cover CO 5 V YES 1 NO NO	Compatible with Google Assistant: Compatible with Amazon Alexa: Dimming DALI-2: Colour of light adjustable: Luminous flux adjustable: Beam angle adjustable:	NO NO NO No No No
Nominal voltage: With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature:	Without cover C 5 V YES 1 NO NO 2700 K 1.3 W 110 Im Energy of	Compatible with Google Assistant: Compatible with Amazon Alexa: Dimming DALI-2: Colour of light adjustable: Luminous flux adjustable: Beam angle adjustable: Exchangeable control gear:	NO
Nominal voltage: With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature: Max. system power: Rated luminous flux according to IEC	Without cover C 5 V YES 1 NO NO 2700 K 1.3 W 110 Im Energy accord	Compatible with Google Assistant: Compatible with Amazon Alexa: Dimming DALI-2: Colour of light adjustable: Luminous flux adjustable: Beam angle adjustable: Exchangeable control gear: Compatible with Casambi: efficiency class of the light source	NO NO NO NO NO NO G
Nominal voltage: With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature: Max. system power: Rated luminous flux according to IEC 62722-2-1:	Without cover C 5 V YES 1 NO NO NO 2700 K 1.3 W 110 lm Energy accord White Rated luminor	Compatible with Google Assistant: Compatible with Amazon Alexa: Dimming DALI-2: Colour of light adjustable: Luminous flux adjustable: Beam angle adjustable: Exchangeable control gear: Compatible with Casambi: efficiency class of the light source rding to EU regulation 2019/2015: us flux according to IEC 62722-2-	NO NO NO NO NO G
Nominal voltage: With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature: Max. system power: Rated luminous flux according to IEC 62722-2-1: Colour of light:	Without cover C 5 V YES 1 NO NO NO 2700 K 1.3 W 110 Im Energy accord White Rated luminor NO NO	Compatible with Google Assistant: Compatible with Amazon Alexa: Dimming DALI-2: Colour of light adjustable: Luminous flux adjustable: Beam angle adjustable: Exchangeable control gear: Compatible with Casambi: efficiency class of the light source rding to EU regulation 2019/2015: us flux according to IEC 62722-2- 1: Containing product according to	NO NO NO NO NO G G G G
Nominal voltage: With light source: Suitable for number of light sources: With control gear: Suitable for workplace according to EN 12464-1: Colour temperature: Max. system power: Rated luminous flux according to IEC 62722-2-1: Colour of light: Constant light output (CLO):	Without cover C 5 V YES 1 NO NO NO 2700 K 1.3 W 110 Im Energy accord White Rated luminor NO NO	Compatible with Google Assistant: Compatible with Amazon Alexa: Dimming DALI-2: Colour of light adjustable: Luminous flux adjustable: Beam angle adjustable: Exchangeable control gear: Compatible with Casambi: efficiency class of the light source rding to EU regulation 2019/2015: us flux according to IEC 62722-2- 1: Containing product according to 2019/2020/EU:	NO G G G G

PACKING_INFORMATION

WEIGHT 0 gr PACKING_CODE ВХ Box
A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be PACKING_FORM

PAGE 2/4







+31 (0)76 - 59 712 20

 \bowtie info@vezalux.nl





completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one -off use, depending on the producthi-/p>

STATISTICS 94051140



0











