

R7s Led COB 220-240V 12W 118mm



R7s Led COB 220-240V 12W 118mm

ARTICLE_NUMBER: 700227.00A

CHANGED_LAST: 18-09-2025

BRAND: Daylight Italia

ETIM_GROUP: EG000028 - Lamps

ETIM_CLASS: EC001959 - LED-lamp/Multi-LED

SYNONYM: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



FEATURES

Colour:	White	Lamp power:	12 W
Socket:	R7s	Luminous flux:	1521 lm
Housing colour:	Colourless	Colour consistency (McAdam ellipse):	1521 lm
Dimmable:	YES	Total harmonic distortion:	1521 lm
Voltage type:	AC	Photobiological safety according to EN 62471:	1521 lm
With movement sensor:	AC	Dimming phase cut-off (trailing edge):	1521 lm
With twilight switch:	AC	Dimming phase cut-on (leading edge):	1521 lm
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	1521 lm
With remote control:	NO	Dimming Zigbee:	1521 lm
Diameter:	13 mm	No dim function:	1521 lm
Suitable for electronic ballast:	13 mm	Lamp designation:	Other
Lamp efficacy:	126.75 lm/W	Filament lamp:	NO
Luminous intensity:	-cd	Min. number of switching cycles:	15000
Lamp shape:	Linear	Beam angle:	360 °
Length:	118 mm	Rated luminous flux according to IEC 62612:	1521 lm
Remote operation possible:	NO	Compatible with Apple HomeKit:	NO
Nominal voltage:	220 ~ 240	Compatible with Google Assistant:	NO
Degree of protection (IP):	IP20	Compatible with Amazon Alexa:	NO
Colour of light according to EN 12464-1:	Warm white < 3300 K	Suitable for magnetic ballast:	NO
Type of glass/cover:	Clear	Energy efficiency class according to EU regulation 2019/2015:	NO
Average nominal lifetime:	10000 h	Dimming Bluetooth:	NO
Nominal current:	- mA	Dimming Wi-Fi:	NO
Colour temperature:	2700 K	Material of light bulb:	NO
Weighted energy consumption in 1000 hours:	12 kWh	Total harmonic distortion (THD):	NO
IFTTT support available:	NO	Power factor:	NO

PACKING_INFORMATION

WEIGHT	0 gr
PACKING_CODE	CT
PACKING_FORM	Cardboard A cardboard box or container
STATISTICS	85395200

