

GU10 PAR16 LED 5W 4000K 400Lm 175-265V Thorgeon



GU10 PAR16 LED 5W 4000K 400Lm 175-265V Thorgeon	
ARTICLE_NUMBER:	TH 04021
CHANGED_LAST:	30-09-2025
BRAND:	Thorgeon
ETIM_GROUP:	EG000028 - Lamps
ETIM_CLASS:	EC001959 - LED-lamp/Multi-LED
SYNONYM:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



FEATURES

Colour:	White	Lamp power:	5 W
Socket:	GU10	Luminous flux:	400 lm
Housing colour:	White	Colour consistency (McAdam ellipse):	400 lm
Dimmable:	NO	Total harmonic distortion:	400 lm
Voltage type:	AC/DC	Photobiological safety according to EN 62471:	400 lm
With movement sensor:	AC/DC	Dimming phase cut-off (trailing edge):	400 lm
With twilight switch:	AC/DC	Dimming phase cut-on (leading edge):	400 lm
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	400 lm
With remote control:	NO	Dimming Zigbee:	400 lm
Diameter:	-mm	No dim function:	400 lm
Suitable for electronic ballast:	-mm	Lamp designation:	PAR16
Lamp efficacy:	80 lm/W	Filament lamp:	NO
Luminous intensity:	-cd	Min. number of switching cycles:	7500
Lamp shape:	Other	Beam angle:	100 °
Length:	-mm	Rated luminous flux according to IEC 62612:	-lm
Remote operation possible:	NO	Compatible with Apple HomeKit:	NO
Nominal voltage:	175 ~ 265	Compatible with Google Assistant:	NO
Degree of protection (IP):	IP20	Compatible with Amazon Alexa:	NO
Colour of light according to EN 12464-1:	Neutral white 3300-5300 K	Suitable for magnetic ballast:	NO
Type of glass/cover:	Frosted	Energy efficiency class according to EU regulation 2019/2015:	NO
Average nominal lifetime:	15000 h	Dimming Bluetooth:	NO
Nominal current:	- mA	Dimming Wi-Fi:	NO
Colour temperature:	4000 K	Material of light bulb:	NO
Weighted energy consumption in 1000 hours:	5 kWh	Total harmonic distortion (THD):	NO
IFTTT support available:	NO	Power factor:	NO

PACKING_INFORMATION

WEIGHT	0.05 kg
WIDTH	60 mm
HEIGHT	67 mm
LENGHT	60 mm
PACKING_CODE	BX
PACKING_FORM	Box A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product
STATISTICS	85395200

