

## Digital Time Switch 1-Channel Thorgeon



Digital Time Switch 1-Channel Thorgeon	
ARTICLE_NUMBER:	TH 18009
CHANGED_LAST:	01-10-2025
BRAND:	Thorgeon
ETIM_GROUP:	EG000062 - Devices for distribution board-/surface mounting
ETIM_CLASS:	EC002305 - Digital time switch for distribution board
SYNONYM:	Digital time switch for distribution board, Main clock, Timer, Timer clock, Twilight switch, Week clock, Year clock



## FEATURES

Mounting method:	DIN rail	Suitable for manual operation:	YES
Width:	18 mm	Switching preselection:	NO
Height:	85 mm	Voltage type (supply voltage):	AC
Depth:	65.5 mm	Potential free switch contact:	NO
Number of contacts:	1	External programming:	NO
Number of memory locations:	16	Radio-controlled (DCF77):	NO
Astro program:	YES	Supply voltage:	230 V
Number of channels:	1	Hour meter:	NO
Output signal:	Other	Frequency supply voltage:	50 ~ 60
Radio-controlled:	NO	Autonomy in years:	4
Weekly program:	YES	Autonomy in hours:	4
Annual program:	YES	Shortest switching time channel 1:	-min
Contact type:	Normally open contact (NO)	Shortest switching time channel 2:	-min
GPS (global positioning system):	NO	Nominal switching current at 250 V AC:	16 A
Width in number of modular spacings:	1	Text guidance in display:	YES
60 min program:	YES	Degree of protection (IP):	IP20
24 h program:	YES	Accuracy per day:	2 s
Holiday program:	YES	External push button input:	NO
Random program:	NO	With memory card:	NO
Impulse program:	YES	Max. switching power LED:	120 W
Cycle program:	NO	Shortest switching time channel 1:	-s
Mains synchronous:	NO	Shortest switching time channel 2:	-s
Quartz controlled:	YES	External programming via:	-s

## PACKING\_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p>
STATISTICS	91070000

