


Staircase time switch Glow 150mA Thorgeon



Staircase time switch Glow 150mA Thorgeon	
ARTICLE_NUMBER:	TH 18010
CHANGED_LAST:	01-10-2025
BRAND:	Thorgeon
ETIM_GROUP:	EG000062 - Devices for distribution board-/surface mounting
ETIM_CLASS:	EC000297 - Staircase lighting timer
SYNONYM:	Built-in device, Mini circuit breaker, Relay, Staircase lighting timer, Time switch, Time switch clock, Timer clock, Timer relay



FEATURES

Mounting method:	DIN rail	Voltage type (supply voltage):	AC
Function:	Mechanical	Supply voltage:	230 V
Built-in depth:	60 mm	Max. switching current (cos phi = 0.6):	-A
Power consumption:	-W	Max. incandescent lamp load:	-W
Release-delay:	NA min	Max. load fluorescent lamp:	-VA
Width in number of modular spacings:	1	Max. load fluorescent lamp (Duo circuit):	-VA
Control voltage 1:	NA V	Max. load fluorescent lamp (parallel compensated):	-VA
Control voltage 2:	NA V	Rated switch current:	-A
Type of control voltage 1:	NA V	Push button glow-lamp current:	-mA
Type of control voltage 2:	NA V	Current surge function selectable:	NO
Frequency control voltage 1:	NA Hz	Number of contacts as normally closed contact:	1
Frequency control voltage 2:	NA Hz	Number of contacts as normally open contact:	1
Wiring system:	NA Hz	Number of contacts as change-over contact:	1
Pre-warning of switching-off:	NA Hz	Max. switching power LED:	-W

PACKING_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p>
STATISTICS	91070000

