


# Pliable Corrugated Conduit with Pulling Wire 50m 20mm 320N G



|                                                              |                                                                                      |
|--------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Pliable Corrugated Conduit with Pulling Wire 50m 20mm 320N G |                                                                                      |
| ARTICLE_NUMBER:                                              | TH 15050                                                                             |
| CHANGED_LAST:                                                | 02-10-2025                                                                           |
| BRAND:                                                       | Thorgeon                                                                             |
| ETIM_GROUP:                                                  | EG000002 - Pipes/hoses for cable installation                                        |
| ETIM_CLASS:                                                  | EC001174 - Plastic installation tube                                                 |
| SYNONYM:                                                     | Installation tube, Pipe, Plastic installation tube, Plastic pipe, Plastic tube, Tube |



## FEATURES

|                                                |         |                                                     |         |
|------------------------------------------------|---------|-----------------------------------------------------|---------|
| Colour:                                        | Grey    | Suitable for installation on wood:                  | NO      |
| Outer diameter:                                | 20 mm   | Suitable for hollow wall installation:              | NO      |
| UV resistant:                                  | NO      | Suitable for underground installation:              | NO      |
| Halogen free:                                  | NO      | Fire retardant version:                             | NO      |
| Inner diameter:                                | 15.3 mm | Bending strength:                                   | Pliable |
| RAL-number:                                    | 7035    | With sleeve:                                        | NO      |
| Material:                                      | 7035    | Flush-mounted installation:                         | YES     |
| Operating temperature:                         | -5 ~ 60 | High conducting inner coating:                      | NO      |
| Surface mounting:                              | NO      | Lowest bending radius:                              | -°      |
| Suitable for concrete installation:            | NO      | Suitable for outdoor installation:                  | NO      |
| Machine and systems installation:              | YES     | With metre indication:                              | NO      |
| Suitable for underfloor installation (screed): | NO      | Impact strength class according to EN 61386-1:      | NO      |
| Suitable for outdoor installation:             | NO      | Compressive strength class according to EN 61386-1: | NO      |

## PACKING\_INFORMATION

|              |                                                                                                                                                                                                                                                                                            |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WEIGHT       | 0 gr                                                                                                                                                                                                                                                                                       |
| PACKING_CODE | BX                                                                                                                                                                                                                                                                                         |
| PACKING_FORM | Box<br><p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p> |
| STATISTICS   | 85444991                                                                                                                                                                                                                                                                                   |

