

# Pliable Corrugated Conduit with Pulling Wire 50m 16mm 750N G



Pliable Corrugated Conduit with Pulling Wire 50m 16mm 750N G	
ARTICLE_NUMBER:	TH 15057
CHANGED_LAST:	02-10-2025
BRAND:	Thorgeon
ETIM_GROUP:	EG000002 - Pipes/hoses for cable installation
ETIM_CLASS:	EC001174 - Plastic installation tube
SYNONYM:	Installation tube, Pipe, Plastic installation tube, Plastic pipe, Plastic tube, Tube



## FEATURES

Colour:	Grey	Suitable for installation on wood:	YES
Outer diameter:	20 mm	Suitable for hollow wall installation:	YES
UV resistant:	NO	Suitable for underground installation:	NO
Halogen free:	NO	Fire retardant version:	NO
Inner diameter:	15.3 mm	Bending strength:	Pliable
RAL-number:	7035	With sleeve:	NO
Material:	7035	Flush-mounted installation:	YES
Operating temperature:	-15 ~ 60	High conducting inner coating:	NO
Surface mounting:	YES	Lowest bending radius:	-°
Suitable for concrete installation:	YES	Suitable for outdoor installation:	NO
Machine and systems installation:	YES	With metre indication:	NO
Suitable for underfloor installation (screed):	YES	Impact strength class according to EN 61386-1:	NO
Suitable for outdoor installation:	YES	Compressive strength class according to EN 61386-1:	NO

## PACKING\_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p>
STATISTICS	85444991

