

E14 B35 LED GEN2 7W 3000K 630Lm 240V Thorgeon



B35 LED GEN2 7W 3000K 630Lm 240V Thorgeon

ARTICLE_NUMBER: TH 04007-1

CHANGED_LAST: 06-10-2025

BRAND: Thorgeon

ETIM_GROUP: EG000028 - Lamps

ETIM_CLASS: EC001959 - LED-lamp/Multi-LED

SYNONYM: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



FEATURES

Colour:	White	Lamp power:	7 W
Socket:	E14	Luminous flux:	630 lm
Housing colour:	White	Colour consistency (McAdam ellipse):	630 lm
Dimmable:	NO	Total harmonic distortion:	630 lm
Voltage type:	AC/DC	Photobiological safety according to EN 62471:	630 lm
With movement sensor:	NO	Dimming phase cut-off (trailing edge):	NO
With twilight switch:	NO	Dimming phase cut-on (leading edge):	NO
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	NO
With remote control:	NO	Dimming Zigbee:	NO
Diameter:	36 mm	No dim function:	NO
Suitable for electronic ballast:	NO	Lamp designation:	Other
Lamp efficacy:	90 lm/W	Filament lamp:	NO
Luminous intensity:	-cd	Min. number of switching cycles:	NO
Lamp shape:	Candle	Beam angle:	180 °
Length:	100 mm	Rated luminous flux according to IEC 62612:	-lm
Remote operation possible:	NO	Compatible with Apple HomeKit:	NO
Nominal voltage:	175 ~ 265	Compatible with Google Assistant:	NO
Degree of protection (IP):	IP20	Compatible with Amazon Alexa:	NO
Colour of light according to EN 12464-1:	Warm white < 3300 K	Suitable for magnetic ballast:	NO
Type of glass/cover:	Frosted	Energy efficiency class according to EU regulation 2019/2015:	NO
Average nominal lifetime:	-h	Dimming Bluetooth:	NO
Nominal current:	- mA	Dimming Wi-Fi:	NO
Colour temperature:	3000 K	Material of light bulb:	NO
Weighted energy consumption in 1000 hours:	-kWh	Total harmonic distortion (THD):	NO
IFTTT support available:	NO	Power factor:	NO

PACKING_INFORMATION

WEIGHT	0.04 kg
WIDTH	45 mm
HEIGHT	130 mm
LENGTH	45 mm
PACKING_CODE	BX
PACKING_FORM	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p>
STATISTICS	85395200

