

LED Ba22d T27x60 mm 100-240V 400Lm 3W 830 AC/DC Clear



> 2 year warranty; Quality higher than average in the market; Suitable for 110/130V and 220/240V; High lumen with compact size; Perfect incandescent replacement by size and lumen; Marine and automotive application;

ARTICLE_NUMBER:	L2227581830
CHANGED_LAST:	22-10-2025
BRAND:	SPL,Schiefer
ETIM_GROUP:	EG000028 - Lamps
ETIM_CLASS:	EC001959 - LED-lamp/Multi-LED
SYNONYM:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



FEATURES

Colour:	White	Lamp power:	4.500 W
Socket:	B22d	Luminous flux:	495.000 ~ 605.000
Housing colour:	B22d	Colour consistency (McAdam ellipse):	SDCM5
Dimmable:	NO	Total harmonic distortion:	SDCM5
Voltage type:	AC/DC	Photobiological safety according to EN 62471:	RG0
With movement sensor:	NO	Dimming phase cut-off (trailing edge):	NO
With twilight switch:	NO	Dimming phase cut-on (leading edge):	NO
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	NO
With remote control:	NO	Dimming Zigbee:	NO
Diameter:	27 mm	No dim function:	YES
Suitable for electronic ballast:	NO	Lamp designation:	Other
Lamp efficacy:	122.22 lm/W	Filament lamp:	NO
Luminous intensity:	-cd	Min. number of switching cycles:	50000
Lamp shape:	Tube, single-ended	Beam angle:	360.000 °
Length:	58 mm	Rated luminous flux according to IEC 62612:	550 lm
Remote operation possible:	NO	Compatible with Apple HomeKit:	NO
Nominal voltage:	100.000 ~ 240.000	Compatible with Google Assistant:	NO
Degree of protection (IP):	IP20	Compatible with Amazon Alexa:	NO
Colour of light according to EN 12464-1:	Warm white < 3300 K	Suitable for magnetic ballast:	NO
Type of glass/cover:	Clear	Energy efficiency class according to EU regulation 2019/2015:	E
Average nominal lifetime:	30000 h	Dimming Bluetooth:	NO
Nominal current:	19.000 ~ 45.000	Dimming Wi-Fi:	NO
Colour temperature:	3000.000 K	Material of light bulb:	NO
Weighted energy consumption in 1000 hours:	5 kWh	Total harmonic distortion (THD):	NO
IFTTT support available:	NO	Power factor:	0.5

PACKING_INFORMATION

WEIGHT	0.04 kg
WIDTH	0.03 m
HEIGHT	0.07 m
LENGTH	0.03 m
PACKING_CODE	CT
PACKING_FORM	Cardboard <p>A cardboard box or container</p>
STATISTICS	85395200

