

LED GU10 MR16 50x54 100-250V 250Lm 2W 830 36° AC/DC White ND



ARTICLE_NUMBER: SPL642725830

CHANGED_LAST: 01-04-2026 12:36:59

BRAND: SPL,Schiefer

ETIM_GROUP: EG000028 - Lamps

ETIM_CLASS: EC001959 - LED-lamp/Multi-LED

SYNONYM: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



FEATURES

Colour:	White	Lamp power:	2.000 W
Socket:	GU10	Luminous flux:	225.000 ~ 275.000
Housing colour:	White	Colour consistency (McAdam ellipse):	SDCM5
Dimmable:	NO	Total harmonic distortion:	SDCM5
Voltage type:	AC/DC	Photobiological safety according to EN 62471:	RG0
With movement sensor:	NO	Dimming phase cut-off (trailing edge):	NO
With twilight switch:	NO	Dimming phase cut-on (leading edge):	NO
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	NO
With remote control:	NO	Dimming Zigbee:	NO
Diameter:	50 mm	No dim function:	YES
Suitable for electronic ballast:	NO	Lamp designation:	MR16
Lamp efficacy:	125 lm/W	Filament lamp:	NO
Luminous intensity:	587 cd	Min. number of switching cycles:	50000
Lamp shape:	Reflector	Beam angle:	36.000 °
Length:	54 mm	Rated luminous flux according to IEC 62612:	250 lm
Remote operation possible:	NO	Compatible with Apple HomeKit:	NO
Nominal voltage:	100.000 ~ 250.000	Compatible with Google Assistant:	NO
Degree of protection (IP):	IP20	Compatible with Amazon Alexa:	NO
Colour of light according to EN 12464-1:	Warm white < 3300 K	Suitable for magnetic ballast:	NO
Type of glass/cover:	Clear	Energy efficiency class according to EU regulation 2019/2015:	D
Average nominal lifetime:	15000 h	Dimming Bluetooth:	NO
Nominal current:	8.000 ~ 20.000	Dimming Wi-Fi:	NO
Colour temperature:	3000.000 K	Material of light bulb:	NO
Weighted energy consumption in 1000 hours:	2 kWh	Total harmonic distortion (THD):	NO
IFTTT support available:	NO	Power factor:	0.5

PACKING_INFORMATION

WEIGHT	0.04 kg
WIDTH	0.05 m
HEIGHT	0.06 m
LENGHT	0.05 m
PACKING_CODE	CT
PACKING_FORM	Cardboard <p>A cardboard box or container</p>
STATISTICS	85395200

