

WE T1 1/4 24V 35mA C-2F



Schiefer has a very extensive program of subminiature lamps for all applications where the smallest light sources are used, for toys, small appliances, and special machines.

Article code: 010411329X

Last changed: 18-06-2026 10:48:21

Brand: SPL,Schiefer

ETIM group: EG000028 - Lamps

ETIM class: EC000399 - Indication- and signalling lamp

Synonyms: Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



Specifications

Nominal current:	35 mA	Suitable for pointer:	No
Colour:	Colourless	Halogen:	No
Socket:	Other	Technology:	Incandescent lamp
Luminous flux:	-lm	Xenon:	No
Colour temperature:	2500 K	Average nominal lifetime:	25000 h
Total length:	11.7 mm	Lamp voltage:	24.000 V
Diameter:	4.5 mm	Lamp power:	0.840 W
Lamp shape:	Tube, single-ended	Suitable for round flashing luminaire:	No
Krypton:	No	Energy efficiency class according to EU regulation 2019/2015:	No

Packaging information

Weight	0 kg
Width	0.01 m
Height	0.01 m
Length	0.01 m
Packaging code <small>(according to EANCOM code list 7065)</small>	NE
Packaging form	Not packed <small>->The item is without packaging or & quot; unpacked & quot; delivered.</small></small>
CBS-code	85392998

