

Ba5s T1 3/4 32V 33mA C-2F



Schiefer has a very extensive program of subminiature lamps for all applications where the smallest light sources are used, for toys, small appliances, and special machines.

Article code: 060616403X

Last changed: 12-06-2026 14:17:45

Brand: SPL,Schiefer

ETIM group: EG000028 - Lamps

ETIM class: EC000399 - Indication- and signalling lamp

Synonyms: Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



Specifications

Nominal current:	33 mA	Suitable for pointer:	No
Colour:	Colourless	Halogen:	No
Socket:	BA5s	Technology:	Incandescent lamp
Luminous flux:	-lm	Xenon:	No
Colour temperature:	2500 K	Average nominal lifetime:	5000 h
Total length:	16 mm	Lamp voltage:	32.000 V
Diameter:	5.7 mm	Lamp power:	1.060 W
Lamp shape:	Tube, single-ended	Suitable for round flashing luminaire:	No
Krypton:	No	Energy efficiency class according to EU regulation 2019/2015:	No

Packaging information

Weight	0 kg
Width	0.01 m
Height	0.02 m
Length	0.01 m
Packaging code <small>(according to EANCOM code list 7065)</small>	NE
Packaging form	Not packed <small>-p>The item is without packaging or & quot; unpacked & quot; delivered.</p></small>
CBS-code	85392998

