

E10 9x22 mm 2.2V 300mA Lens C-2R



Schiefer has a very extensive program of miniature lamps for, among other things, push buttons, signal lighting, and all machines and places where very small lamps are used.

Article code:	100922033X
Last changed:	15-06-2026 10:46:47
Brand:	SPL,Schiefer
ETIM group:	EG000028 - Lamps
ETIM class:	EC000399 - Indication- and signalling lamp
Synonyms:	Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



Specifications

Nominal current:	300 mA	Suitable for pointer:	No
Colour:	Colourless	Halogen:	No
Socket:	E10	Technology:	Incandescent lamp
Luminous flux:	-lm	Xenon:	No
Colour temperature:	2500 K	Average nominal lifetime:	30 h
Total length:	23 mm	Lamp voltage:	2.200 V
Diameter:	9 mm	Lamp power:	0.660 W
Lamp shape:	Lens-shape	Suitable for round flashing luminaire:	No
Krypton:	No	Energy efficiency class according to EU regulation 2019/2015:	No

Packaging information

Weight	0 kg
Width	0.01 m
Height	0.02 m
Length	0.01 m
Packaging code <small>(according to EANCOM code list 7065)</small>	NE
Packaging form	Not packed <small>-p>The item is without packaging or & quot; unpacked & quot; delivered.</p></small>
CBS-code	85392998

