

LED STICK E27 44x139 mm AC 100-240V 12W 6500K 1050Lm Toplux



LED STICK E27 44x139 mm AC 100-240V 12W 6500K 1050Lm Toplux

Article code: L274439126

Last changed: 16-06-2026 15:46:52

Brand: Toplux

ETIM group: EG000028 - Lamps

ETIM class: EC001959 - LED-lamp/Multi-LED

Synonyms: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



Specifications

Colour:	White	Lamp power:	12 W
Socket:	E27	Luminous flux:	1050 lm
Housing colour:	White	Colour consistency (McAdam ellipse):	1050 lm
Dimmable:	No	Total harmonic distortion:	1050 lm
Voltage type:	No	Photobiological safety according to EN 62471:	1050 lm
With movement sensor:	No	Dimming phase cut-off (trailing edge):	No
With twilight switch:	No	Dimming phase cut-on (leading edge):	No
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	No
With remote control:	No	Dimming Zigbee:	No
Diameter:	44 mm	No dim function:	Yes
Suitable for electronic ballast:	No	Lamp designation:	Other
Lamp efficacy:	-lm/W	Filament lamp:	No
Luminous intensity:	-cd	Min. number of switching cycles:	100000
Lamp shape:	Tube, single-ended	Beam angle:	200 °
Length:	139 mm	Rated luminous flux according to IEC 62612:	-lm
Suitable for refrigerator:	No	Compatible with Apple HomeKit:	No
Remote operation possible:	No	Compatible with Google Assistant:	No
Nominal voltage:	100 ~ 240	Compatible with Amazon Alexa:	No
Degree of protection (IP):	IP20	Suitable for magnetic ballast:	No
Colour of light according to EN 12464-1:	Daylight white > 5300 K	Energy efficiency class according to EU regulation 2019/2015:	G
Type of glass/cover:	Frosted	Dimming Bluetooth:	No
Average nominal lifetime:	25000 h	Dimming Wi-Fi:	No
Nominal current:	- mA	Material of light bulb:	No
Colour temperature:	6500 K	Total harmonic distortion (THD):	No
Weighted energy consumption in 1000 hours:	12 kWh	Power factor:	0.5

Packaging information

Weight	0 gr
Packaging code	BX <small>(according to EANCOM code list 7065)</small>
Packaging form	Box <small><p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product.</p></small>
CBS-code	85395200

