

E10 G15x29 mm 4V 550mA 2.2W C-2R



Schiefer has a very extensive program of miniature lamps for, among other things, push buttons, signal lighting, and all machines and places where very small lamps are used.

Article code:	101529097X
Last changed:	30-06-2026 09:57:14
Brand:	SPL,Schiefer
ETIM group:	EG000028 - Lamps
ETIM class:	EC000399 - Indication- and signalling lamp
Synonyms:	Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



Specifications

Nominal current:	500 mA	Suitable for pointer:	No
Colour:	Colourless	Halogen:	No
Socket:	E10	Technology:	Incandescent lamp
Luminous flux:	-lm	Xenon:	No
Colour temperature:	2500 K	Average nominal lifetime:	2000 h
Total length:	29 mm	Lamp voltage:	4.000 V
Diameter:	15 mm	Lamp power:	2.000 W
Lamp shape:	Round/globe	Suitable for round flashing luminaire:	No
Krypton:	No	Energy efficiency class according to EU regulation 2019/2015:	No

Packaging information

Weight	0 kg
Width	0.02 m
Height	0.03 m
Length	0.02 m
Packaging code (according to EANCOM code list 7065)	NE
Packaging form	Not packed The item is without packaging or & quot; unpacked & quot; delivered.
CBS-code	85392998

