

T5.5k 5.5x22 mm 12V 40mA 0.48W



Schiefer has a very extensive program of miniature lamps for, among other things, push buttons, signal lighting, and all machines and places where very small lamps are used.

Article code:	545422238X
Last changed:	15-07-2026 13:38:04
Brand:	SPL,Schiefer
ETIM group:	EG000028 - Lamps
ETIM class:	EC000399 - Indication- and signalling lamp
Synonyms:	Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



Specifications

Nominal current:	40 mA	Suitable for pointer:	No
Colour:	Colourless	Halogen:	No
Socket:	T5.5K	Technology:	Incandescent lamp
Luminous flux:	-lm	Xenon:	No
Colour temperature:	2500 K	Average nominal lifetime:	10000 h
Total length:	22 mm	Lamp voltage:	12 V
Diameter:	5.4 mm	Lamp power:	0.480 W
Lamp shape:	Tube, single-ended	Suitable for round flashing luminaire:	No
Krypton:	No	Energy efficiency class according to EU regulation 2019/2015:	Not required

Packaging information

Weight	0 kg
Width	0.01 m
Height	0.02 m
Length	0.01 m
Packaging code (according to EANCOM code list 7065)	NE
Packaging form	Not packed The item is without packaging or & quot; unpacked & quot; delivered.
CBS-code	85392998

