

MG T1 3/4 5.7x16 14V 80mA 2500Hrs. C-2F



MG T1 3/4 14V 80mA 2500Hrs. C-2F

Article code: 030616289X

Last changed: 15-07-2026 14:06:59

Brand: SPL,Schiefer

ETIM group: EG000028 - Lamps

ETIM class: EC000399 - Indication- and signalling lamp

Synonyms: Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



Specifications

Nominal current:	80 mA	Suitable for pointer:	No
Colour:	Colourless	Halogen:	No
Socket:	Midget grooved	Technology:	Incandescent lamp
Luminous flux:	-lm	Xenon:	No
Colour temperature:	2500 K	Average nominal lifetime:	2500 h
Total length:	16 mm	Lamp voltage:	14 V
Diameter:	5.7 mm	Lamp power:	1.120 W
Lamp shape:	Tube, single-ended	Suitable for round flashing luminaire:	No
Krypton:	No	Energy efficiency class according to EU regulation 2019/2015:	No

Packaging information

Weight	0 kg
Width	0.01 m
Height	0.02 m
Length	0.01 m
Packaging code (according to EANCOM code list 7065)	NE
Packaging form	Not packed The item is without packaging or & quot; unpacked & quot; delivered.
CBS-code	85392998

