

MF T1 3/4 28V 40mA 10000Hrs. C-2F



Schiefer has a very extensive program of subminiature lamps for all applications where the smallest light sources are used, for toys, small appliances, and special machines.

Article code:	020616388
Last changed:	05-08-2026 09:48:34
Brand:	SPL,Schiefer
ETIM group:	EG000028 - Lamps
ETIM class:	EC000399 - Indication- and signalling lamp
Synonyms:	Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



Specifications

Nominal current:	40 mA	Suitable for pointer:	No
Colour:	Colourless	Halogen:	No
Socket:	Midget flanged	Technology:	Incandescent lamp
Luminous flux:	-lm	Xenon:	No
Colour temperature:	2500 K	Average nominal lifetime:	10000 h
Total length:	15.87 mm	Lamp voltage:	28.000 V
Diameter:	5.7 mm	Lamp power:	1.120 W
Lamp shape:	Tube, single-ended	Suitable for round flashing luminaire:	No
Krypton:	No	Energy efficiency class according to EU regulation 2019/2015:	No

Packaging information

Weight	0 kg
Width	0.01 m
Height	0.02 m
Length	0.01 m
Packaging code (according to EANCOM code list 7065)	NE
Packaging form	Not packed The item is without packaging or & quot; unpacked & quot; delivered.
CBS-code	85392998

