

Osram HQI-R 150W/NDL/FO



Article code:	OSR 691262
Last changed:	12-08-2026 10:18:59
Brand:	OSRAM
ETIM group:	EG000028 - Lamps
ETIM class:	EC000823 - Halogen metal halide reflector lamp
Synonyms:	Discharge lamp, Halogen lamp, Halogen metal halide reflector lamp, Lamp, Metal halide lamp



Specifications

Lamp power:	150 W	Burning position:	P15
Socket:	Other	External ignitor required:	No
Luminous flux:	-lm	External ballast required:	Yes
Colour temperature:	4200 K	Sun tanning lamp:	No
Beam angle:	-°	Material discharge tube:	Quartz
Total length:	93 mm	Closed luminaire required:	No
Colour rendering index CRI:	80-89	Colour of light:	842
Diameter:	96 mm	Colour of light according to EN 12464-1:	Neutral white 3300-5300 K
Suitable for electronic ballast:	Yes	Average nominal lifetime:	9000 h
Lamp efficacy:	73 lm/W	Lamp voltage:	95 V
UV protection:	Yes	Weighted energy consumption in 1000 hours:	-kWh
Reflector type:	Yes	Lamp designation:	PAR30
Luminous intensity:	11000 cd	Energy efficiency class according to EU regulation 2019/2015:	PAR30

Packaging information

Weight	0 gr
Packaging code (according to EANCOM code list 7065)	BX
Packaging form	Box A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product

