

Led tube T5 HF 4W 840 288MM



Led tube T5 HF 4W 840 288MM	
Article code:	LV 823716
Last changed:	25-08-2026 15:29:32
Brand:	Osram, Ledvance
ETIM group:	EG000028 - Lamps
ETIM class:	EC001959 - LED-lamp/Multi-LED
Synonyms:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Specifications

Colour:	White	Lamp power:	4 W
Socket:	G5	Luminous flux:	400 lm
Housing colour:	White	Colour consistency (McAdam ellipse):	SDCM5
Dimmable:	No	Total harmonic distortion:	130
Voltage type:	AC	Photobiological safety according to EN 62471:	RG0
With movement sensor:	No	Dimming phase cut-off (trailing edge):	No
With twilight switch:	No	Dimming phase cut-on (leading edge):	No
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	No
With remote control:	No	Dimming Zigbee:	No
Diameter:	18.5 mm	No dim function:	Yes
Suitable for electronic ballast:	Yes	Lamp designation:	Yes
Lamp efficacy:	100 lm/W	Filament lamp:	No
Luminous intensity:	-cd	Min. number of switching cycles:	200000
Lamp shape:	Tube, double-ended	Beam angle:	190 °
Length:	302 mm	Rated luminous flux according to IEC 62612:	400 lm
Suitable for refrigerator:	No	Compatible with Apple HomeKit:	No
Remote operation possible:	No	Compatible with Google Assistant:	No
Nominal voltage:	17 ~ 40	Compatible with Amazon Alexa:	No
Degree of protection (IP):	IP20	Suitable for magnetic ballast:	No
Colour of light according to EN 12464-1:	Neutral white 3300-5300 K	Energy efficiency class according to EU regulation 2019/2015:	F
Type of glass/cover:	Frosted	Dimming Bluetooth:	No
Average nominal lifetime:	30000 h	Dimming Wi-Fi:	No
Nominal current:	223 mA	Material of light bulb:	No
Colour temperature:	4000 K	Total harmonic distortion (THD):	No
Weighted energy consumption in 1000 hours:	4 kWh	Power factor:	0.55

Packaging information

Weight	42 gr
Packaging code (according to EANCOM code list 7065)	BX
Packaging form	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p>

