

Profolux LED TUBE T8 120CM 12-15-18W CCT-SWITCH 2700LM G13



Profolux LED TUBE T8 120CM 12-15-18W CCT-SWITCH 2700LM G13

Article code: PL 802295

Last changed: 27-08-2026 15:09:26

Brand: Profolux

ETIM group: EG000028 - Lamps

ETIM class: EC001959 - LED-lamp/Multi-LED

Synonyms: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



Specifications

Colour:	Multi-coloured	Lamp power:	12 ~ 18
Socket:	G13	Luminous flux:	- lm
Housing colour:	White	Colour consistency (McAdam ellipse):	- lm
Dimmable:	No	Total harmonic distortion:	- lm
Voltage type:	AC	Photobiological safety according to EN 62471:	- lm
With movement sensor:	No	Dimming phase cut-off (trailing edge):	No
With twilight switch:	No	Dimming phase cut-on (leading edge):	No
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	No
With remote control:	No	Dimming Zigbee:	No
Diameter:	26 mm	No dim function:	Yes
Suitable for electronic ballast:	No	Lamp designation:	Yes
Lamp efficacy:	160 lm/W	Filament lamp:	No
Luminous intensity:	-cd	Min. number of switching cycles:	No
Lamp shape:	-cd	Beam angle:	120 °
Length:	1212 mm	Rated luminous flux according to IEC 62612:	-lm
Suitable for refrigerator:	No	Compatible with Apple HomeKit:	No
Remote operation possible:	No	Compatible with Google Assistant:	No
Nominal voltage:	85 ~ 265	Compatible with Amazon Alexa:	No
Degree of protection (IP):	85 ~ 265	Suitable for magnetic ballast:	No
Colour of light according to EN 12464-1:	85 ~ 265	Energy efficiency class according to EU regulation 2019/2015:	D
Type of glass/cover:	85 ~ 265	Dimming Bluetooth:	No
Average nominal lifetime:	50000 h	Dimming Wi-Fi:	No
Nominal current:	- mA	Material of light bulb:	No
Colour temperature:	3000 ~ 6000	Total harmonic distortion (THD):	No
Weighted energy consumption in 1000 hours:	-kWh	Power factor:	0.9

Packaging information

Weight	0 gr
Packaging code	BX
<i>(according to EANCOM code list 7065)</i>	
Packaging form	Box
A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product	

