


Osram LED Retrofit CLASSIC B22d 11W 6500K Clear Fil Dim



Osram LED Retrofit CLASSIC B22d 11W 6500K Clear Fil Dim	
Article code:	OSR 654235
Last changed:	11-09-2026 13:36:17
Brand:	OSRAM
ETIM group:	EG000028 - Lamps
ETIM class:	EC001959 - LED-lamp/Multi-LED
Synonyms:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Specifications

Colour:	Other	Lamp power:	11 W
Socket:	B22d	Luminous flux:	1521 lm
Housing colour:	B22d	Colour consistency (McAdam ellipse):	SDCM6
Dimmable:	Yes	Total harmonic distortion:	SDCM6
Voltage type:	AC	Photobiological safety according to EN 62471:	RG0
With movement sensor:	No	Dimming phase cut-off (trailing edge):	Yes
With twilight switch:	No	Dimming phase cut-on (leading edge):	Yes
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	No
With remote control:	No	Dimming Zigbee:	No
Diameter:	60 mm	No dim function:	No
Suitable for electronic ballast:	No	Lamp designation:	No
Lamp efficacy:	138 lm/W	Filament lamp:	Yes
Luminous intensity:	-cd	Min. number of switching cycles:	100000
Lamp shape:	Pear-shape	Beam angle:	300 °
Length:	104 mm	Rated luminous flux according to IEC 62612:	1521 lm
Suitable for refrigerator:	No	Compatible with Apple HomeKit:	No
Remote operation possible:	No	Compatible with Google Assistant:	No
Nominal voltage:	220 V	Compatible with Amazon Alexa:	No
Degree of protection (IP):	IP20	Suitable for magnetic ballast:	No
Colour of light according to EN 12464-1:	Daylight white > 5300 K	Energy efficiency class according to EU regulation 2019/2015:	D
Type of glass/cover:	Clear	Dimming Bluetooth:	No
Average nominal lifetime:	15000 h	Dimming Wi-Fi:	No
Nominal current:	52 mA	Material of light bulb:	No
Colour temperature:	6500 K	Total harmonic distortion (THD):	No
Weighted energy consumption in 1000 hours:	11 kWh	Power factor:	0.5

Packaging information

Weight	0 gr
Packaging code	BX
<i>(according to EANCOM code list 7065)</i>	
Packaging form	Box
A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product	

