

Ledvance PAR16 GU10 3.4W 927 Dim



Ledvance PAR16 GU10 3.4W 927 Dim

Article code:	LV 059872
Last changed:	15-09-2026 15:18:08
Brand:	Osram, Ledvance
ETIM group:	EG000028 - Lamps
ETIM class:	EC001959 - LED-lamp/Multi-LED
Synonyms:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Specifications

Colour:	Other	Lamp power:	3.4 W
Socket:	GU10	Luminous flux:	230 lm
Housing colour:	GU10	Colour consistency (McAdam ellipse):	SDCM5
Dimmable:	Yes	Total harmonic distortion:	150
Voltage type:	AC	Photobiological safety according to EN 62471:	RG1
With movement sensor:	No	Dimming phase cut-off (trailing edge):	Yes
With twilight switch:	No	Dimming phase cut-on (leading edge):	Yes
Colour rendering index CRI:	90-100	Dimming Touch and Dim:	No
With remote control:	No	Dimming Zigbee:	No
Diameter:	50 mm	No dim function:	No
Suitable for electronic ballast:	No	Lamp designation:	PAR16
Lamp efficacy:	67 lm/W	Filament lamp:	No
Luminous intensity:	400 cd	Min. number of switching cycles:	100000
Lamp shape:	Reflector	Beam angle:	36 °
Length:	52 mm	Rated luminous flux according to IEC 62612:	230 lm
Suitable for refrigerator:	No	Compatible with Apple HomeKit:	No
Remote operation possible:	No	Compatible with Google Assistant:	No
Nominal voltage:	220 ~ 240	Compatible with Amazon Alexa:	No
Degree of protection (IP):	IP20	Suitable for magnetic ballast:	No
Colour of light according to EN 12464-1:	Warm white < 3300 K	Energy efficiency class according to EU regulation 2019/2015:	G
Type of glass/cover:	Clear	Dimming Bluetooth:	No
Average nominal lifetime:	25000 h	Dimming Wi-Fi:	No
Nominal current:	20 mA	Material of light bulb:	No
Colour temperature:	2700 K	Total harmonic distortion (THD):	No
Weighted energy consumption in 1000 hours:	4 kWh	Power factor:	0.7

Packaging information

Weight	0 gr
Packaging code (according to EANCOM code list 7065)	BX
Packaging form	Box A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product

