



## Led AR111 12V 12W G53 30° 4000K white



ARTICLE_NUMBER:	700130.00A
CHANGED_LAST:	23-05-2025
BRAND:	Daylight Italia
ETIM_GROUP:	EG000028 - Lamps
ETIM_CLASS:	EC001959 - LED-lamp/Multi-LED
SYNONYM:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster





0



## **FEATURES**

Colour:	White	Type of glass/cover:	Clear
Socket:	G53	Average nominal lifetime:	15000 h
Housing colour:	White	Nominal current:	NA/NA mA
Dimmable:	NO	Colour temperature:	4000/4000 K
Voltage type:	AC/DC	Weighted energy consumption in 1000 hours:	12 kWh
Colour rendering index CRI:	80-89	IFTTT support available:	NO
With remote control:	NO	Lamp power:	12/12 W
Diameter:	111 mm	Luminous flux:	910/910 lm
Lamp efficacy:	75.8 lm/W	Lamp designation:	AR111
Luminous intensity:	0 cd	Filament lamp:	NO
Lamp shape:	Reflector	Min. number of switching cycles:	15000
Length:	60 mm	Beam angle:	30/30 °
Remote operation possible:	NO	Rated luminous flux according to IEC 62612:	910 lm
Nominal voltage:	12/12 V	Compatible with Apple HomeKit:	NO
Degree of protection (IP):	IP20	Compatible with Google Assistant:	NO
Colour of light according to EN 12464-1:	Neutral white 3300-5300 K	Compatible with Amazon Alexa:	NO

## PACKING\_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box
	A non-specific term that refers to a non-flexible, three- dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the producthi

STATISTICS 85395200

TUV NORD
19/4 World and OA EX

0

www.vezalux.com



