



## Led G4 12V DC 2W 3000K noDim



ARTICLE_NUMBER:	700541.00A
CHANGED_LAST:	23-05-2025
BRAND:	Daylight Italia
ETIM_GROUP:	EG000028 - Lamps
ETIM_CLASS:	EC001959 - LED-lamp/Multi-LED
SYNONYM:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster





www.vezalux.com



## **FEATURES**

Colour:	White	Type of glass/cover:	Clear
Socket:	G4	Average nominal lifetime:	20000 h
Housing colour:	Colourless	Nominal current:	176/176 mA
Dimmable:	NO	Colour temperature:	3000/3000 K
Voltage type:	DC	Weighted energy consumption in 1000 hours:	2 kWh
Colour rendering index CRI:	80-89	IFTTT support available:	NO
With remote control:	NO	Lamp power:	2/2 W
Diameter:	12 mm	Luminous flux:	230/230 lm
Lamp efficacy:	115 lm/W	Lamp designation:	Other
Luminous intensity:	0 cd	Filament lamp:	NO
Lamp shape:	Capsule/stick	Min. number of switching cycles:	50000
Length:	37 mm	Beam angle:	360/360 °
Remote operation possible:	NO	Rated luminous flux according to IEC 62612:	230 lm
Nominal voltage:	12/12 V	Compatible with Apple HomeKit:	NO
Degree of protection (IP):	IP20	Compatible with Google Assistant:	NO
Colour of light according to EN 12464-1:	Warm white < 3300 K	Compatible with Amazon Alexa:	NO
With remote control: Diameter: Lamp efficacy: Luminous intensity: Lamp shape: Length: Remote operation possible: Nominal voltage: Degree of protection (IP):	NO 12 mm 115 lm/W 0 cd Capsule/stick 37 mm NO 12/12 V IP20	Lamp power: Luminous flux: Lamp designation: Filament lamp: Min. number of switching cycles: Beam angle: Rated luminous flux according to IEC 62612: Compatible with Apple HomeKit: Compatible with Google Assistant:	2/2 W 230/230 Im Other NO 50000 360/360 ° 230 Im NO

## PACKING\_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Вох
	A non-specific term that refers to a non-flexible, three- dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one -off use, depending on the producthi

STATISTICS 85395200



0

www.vezalux.com





