

Ba22d Ball LED G45x80 12-60V 3w 250Lm 830 160Degr DC Opal ND



ARTICLE_NUMBER: L892212603

CHANGED_LAST: 07-02-2025

BRAND: SPL

ETIM_GROUP: EG000028 - Lamps

ETIM_CLASS: EC001959 - LED-lamp/Multi-LED

SYNONYM: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



8 7 1 8 7 3 9 0 5 5 4 7 6

FEATURES

Colour:	White	Nominal current:	50.000/250.000 mA
Socket:	B22d	Colour temperature:	3000.000/3000.000 K
Housing colour:	White	Weighted energy consumption in 1000 hours:	3 kWh
Voltage type:	DC	Lamp power:	3.000/3.000 W
Colour rendering index CRI:	80-89	Luminous flux:	225.000/275.000 lm
Diameter:	45 mm	Colour consistency (McAdam ellipse):	SDCM5
Suitable for electronic ballast:	NO	Photobiological safety according to EN 62471:	RG0
Lamp efficacy:	83.33 lm/W	No dim function:	NO
Lamp shape:	Round/globe	Lamp designation:	Other
Length:	80 mm	Min. number of switching cycles:	50000
Nominal voltage:	12.000/60.000 V	Beam angle:	160.000/160.000 °
Degree of protection (IP):	IP20	Rated luminous flux according to IEC 62612:	250 lm
Colour of light according to EN 12464-1:	Warm white < 3300 K	Energy efficiency class according to EU regulation 2019/2015:	G
Type of glass/cover:	Opal	Power factor:	1
Average nominal lifetime:	25000 h		

PACKING_INFORMATION

WEIGHT	0.03 kg
WIDTH	0.05 m
HEIGHT	0.09 m
LENGHT	0.05 m
PACKING_CODE	CT
PACKING_FORM	Cardboard
A cardboard box or container	
STATISTICS	85395200

