



## Osram LED CLASSIC P 25 DIM P 2.8W 827 Frosted E14



Ledvance LED CLASSIC P 25 DIM P 2.8W 827 Frosted E14			
ARTICLE_NUMBER:	OSR 436961		
CHANGED_LAST:	26-06-2025		
BRAND:	Osram		
ETIM_GROUP:	EG000028 - Lamps		
ETIM_CLASS:	EC001959 - LED-lamp/Multi-LED		
SYNONYM:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster		









## **FEATURES**

:		Lamp power:	2.800 W
Socket:	E14	Luminous flux:	250.000 lm
Socket:	E14	Colour consistency (McAdam ellipse):	SDCM6
Dimmable:	NO	Colour consistency (McAdam ellipse):	SDCM6
Voltage type:	AC	Photobiological safety according to EN 62471:	RG0
With movement sensor:	NO	Dimming phase cut-off (trailing edge):	NO
With twilight switch:	NO	Dimming phase cut-on (leading edge):	NO
Colour rendering index CRI:	80-89	Dimming Touch and Dim:	NO
With remote control:	NO	Dimming Zigbee:	NO
Diameter:	45 mm	No dim function:	NO
Suitable for electronic ballast:	NO	No dim function:	NO
Lamp efficacy:	89 lm/W	Filament lamp:	NO
Luminous intensity:	-cd	Min. number of switching cycles:	100000
Lamp shape:	Pear-shape	Beam angle:	320.000 °
Length:	78 mm	Rated luminous flux according to IEC 62612:	250 lm
Remote operation possible:	NO	Compatible with Apple HomeKit:	NO
Nominal voltage:	220.000 ~ 240.000	Compatible with Google Assistant:	NO
Degree of protection (IP):	IP20	Compatible with Amazon Alexa:	NO
Colour of light according to EN 12464-1:	Warm white < 3300 K	Suitable for magnetic ballast:	NO
Type of glass/cover:	Clear	Suitable for magnetic ballast:	NO
Average nominal lifetime:	15000 h	Dimming Bluetooth:	NO
Nominal current:	13.000 mA	Dimming Wi-Fi:	NO
Colour temperature:	2700.000 K	Dimming Wi-Fi:	NO
Weighted energy consumption in 1000 hours:	3 kWh	Dimming Wi-Fi:	NO
IFTTT support available:	NO	Power factor:	0.5

## PACKING\_INFORMATION

0.05 kg
0.05 m
0.09 m
0.05 m
CS
Cover  <
85395200



0

