

Socket Energy Meter 16A white IP20 LCD-display Thorgeon



Socket Energy Meter 16A white IP20 LCD-display Thorgeon	
ARTICLE_NUMBER:	TH 01008
CHANGED_LAST:	20-12-2024
BRAND:	Thorgeon
ETIM_GROUP:	EG000015 - Energy distribution systems
ETIM_CLASS:	EC001506 - Electricity meter
SYNONYM:	Effective power meter, Electricity meter for service distribution board, Energy meter, Four-conductor pulse generator meter, Four-conductor value transformer pulse generator meter, Kilowatt-hour meter, Measurement transformer, Mechanical kilowatt-hour meter, Rate meter



FEATURES

Mounting method:	Plug-in technique	Tariff type:	One-tariff
Width:	70 mm	Tariff control:	Internal/external
Model:	Direct measurement	Escapement mechanism:	NO
Height:	140 mm	Calibrated:	NO
Depth:	76 mm	Approval:	NO
Suitable for:	76 mm	Pulse output:	Electrical
Type of indication:	76 mm	Pulse type:	S0
Power consumption:	76 mm	Pulse rate:	- Imp/kWh (kvarh)
Frequency:	50 Hz	Accuracy class:	B
Max. current (Imax):	16 A	Pole type:	Single phase
Width in number of modular spacings:	16 A	Measurement type load profile:	NO
Number of positions total (counter):	12	EEC40 signature:	NO
Type of meter:	Electronic	With lock code:	NO
Degree of protection (IP):	IP20	Nominal voltage (Un) N-L:	220 ~ 230
Type of interface:	None	Nominal voltage (Un) L-L:	- V
Energy type:	Effective power	Nominal current (In):	-A
Tariff type:	One-tariff	Degree of protection (NEMA):	2

PACKING_INFORMATION

WEIGHT	0.22 kg
WIDTH	80 mm
HEIGHT	72 mm
LENGHT	150 mm
PACKING_CODE	BX
PACKING_FORM	Box A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one -off use, depending on the product
STATISTICS	90318080

