

Twilight sensor max 1200W IP44 Thorgeon



Twilight sensor max 1200W IP44 Thorgeon	
ARTICLE_NUMBER:	TH 02012
CHANGED_LAST:	20-12-2024
BRAND:	Thorgeon
ETIM_GROUP:	EG000013 - Domestic switching devices
ETIM_CLASS:	EC000189 - Twilight switch
SYNONYM:	Twilight switch



FEATURES

Nominal voltage:	220 V	Material:	Plastic
Mounting method:	Wall duct	Operating temperature:	-20 ~ 40
Colour:	Silver	Switching-off brightness:	500 lx
Width:	70 mm	Suitable for C-load:	NO
Halogen free:	NO	Engaging brightness:	2 lx
Contacts:	NO	RAL-number (similar):	9007
Height:	108 mm	Type of sensor:	9007
Depth:	40 mm	Transparent:	NO
Surface protection:	Other	Surface finishing:	Matt
Switching-on delay:	-s	Suitable for degree of protection (IP):	IP44
Switch-off delay:	-s	With automatic night switch-off:	YES
Swivelling:	NO	With DALI interface:	NO
Diameter:	-mm	IFTTT support available:	NO
Material quality:	Thermoplastic	Min. depth of built-in installation box:	40 mm
Max. switching current (resistive load):	-A	Compatible with Apple HomeKit:	NO
Max. switching power:	10 W	Compatible with Google Assistant:	NO
Operating temperature:	10 W	Compatible with Amazon Alexa:	NO
Material:	Plastic	Max. switching power LED:	-W

PACKING_INFORMATION

WEIGHT	0.15 kg
WIDTH	76 mm
HEIGHT	47 mm
LENGHT	150 mm
PACKING_CODE	BX
PACKING_FORM	Box A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product
STATISTICS	85365003

