

## Fluorescent Tube 54W/840 T5 4000K



Fluorescent Tube 54W/840 T5 4000K

ARTICLE\_NUMBER: PA 05746

CHANGED\_LAST: 23-10-2024

BRAND: Patron

ETIM\_GROUP: EG000028 - Lamps

ETIM\_CLASS: EC000108 - Fluorescent lamp

SYNONYM: Fluorescent lamp, Lamp



## FEATURES

|                             |         |                                                               |                           |
|-----------------------------|---------|---------------------------------------------------------------|---------------------------|
| Colour:                     | White   | Length:                                                       | 1149 mm                   |
| Lamp power:                 | 54 W    | Internal reflector:                                           | NO                        |
| Application:                | General | Full spectrum lamp:                                           | NO                        |
| Socket:                     | G5      | Colour of light:                                              | 840                       |
| Luminous flux:              | 5000 lm | Suitable for emergency lighting:                              | NO                        |
| Colour temperature:         | 4000 K  | Ring diameter:                                                | -mm                       |
| Beam angle:                 | -°      | Double-walled:                                                | NO                        |
| Colour rendering index CRI: | 80-89   | Colour of light according to EN 12464-1:                      | Neutral white 3300-5300 K |
| Splitter protection:        | NO      | For application at low temperatures:                          | NO                        |
| Tube diameter:              | 16 mm   | Suitable for explosion proof luminaires:                      | NO                        |
| Lamp efficacy:              | 92 lm/W | Average nominal lifetime:                                     | 12000 h                   |
| Ignition strip:             | NO      | Weighted energy consumption in 1000 hours:                    | 54 kWh                    |
| Fast ignition:              | NO      | Lamp designation:                                             | T5                        |
| Starterless operation:      | NO      | Energy efficiency class according to EU regulation 2019/2015: | T5                        |

## PACKING\_INFORMATION

|              |                                                                                                                                                                                                                                                                                            |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WEIGHT       | 0 gr                                                                                                                                                                                                                                                                                       |
| PACKING_CODE | BX                                                                                                                                                                                                                                                                                         |
| PACKING_FORM | Box<br><p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p> |
| STATISTICS   | 85393190                                                                                                                                                                                                                                                                                   |

