

## G5 Fl. tube 16x212 mm 6W cool white



|                                     |                             |
|-------------------------------------|-----------------------------|
| G5 Fl. tube 16x212 mm 6W cool white |                             |
| ARTICLE_NUMBER:                     | 501621711CW                 |
| CHANGED_LAST:                       | 15-07-2025                  |
| BRAND:                              | Vezalux                     |
| ETIM_GROUP:                         | EG000028 - Lamps            |
| ETIM_CLASS:                         | EC000108 - Fluorescent lamp |
| SYNONYM:                            | Fluorescent lamp, Lamp      |



## FEATURES

|                             |         |                                                               |                         |
|-----------------------------|---------|---------------------------------------------------------------|-------------------------|
| Colour:                     | White   | Length:                                                       | 212 mm                  |
| Lamp power:                 | 6 W     | Internal reflector:                                           | NO                      |
| Application:                | General | Full spectrum lamp:                                           | NO                      |
| Socket:                     | G5      | Colour of light:                                              | NO                      |
| Luminous flux:              | -lm     | Suitable for emergency lighting:                              | NO                      |
| Colour temperature:         | 6500 K  | Ring diameter:                                                | -mm                     |
| Beam angle:                 | -°      | Double-walled:                                                | NO                      |
| Colour rendering index CRI: | 80-89   | Colour of light according to EN 12464-1:                      | Daylight white > 5300 K |
| Splitter protection:        | NO      | For application at low temperatures:                          | NO                      |
| Tube diameter:              | 16 mm   | Suitable for explosion proof luminaires:                      | NO                      |
| Lamp efficacy:              | -lm/W   | Average nominal lifetime:                                     | 8000 h                  |
| Ignition strip:             | NO      | Weighted energy consumption in 1000 hours:                    | 6 kWh                   |
| Fast ignition:              | NO      | Lamp designation:                                             | T5                      |
| Starterless operation:      | NO      | Energy efficiency class according to EU regulation 2019/2015: | G                       |

## PACKING\_INFORMATION

|              |                                                                                                                                                                                                                                                                                            |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WEIGHT       | 0 gr                                                                                                                                                                                                                                                                                       |
| PACKING_CODE | BX                                                                                                                                                                                                                                                                                         |
| PACKING_FORM | Box<br><p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p> |
| STATISTICS   | 85393110                                                                                                                                                                                                                                                                                   |

