

Ba7s 6.8x20 mm 48V 25mA ROLLED-IN BASE FLAT SOLDERING C-2F



Ba7s 6.8x20 mm 48V 25mA ROLLED-IN BASE FLAT SOLDERING C-2F

ARTICLE_NUMBER: 070721441

CHANGED_LAST: 24-07-2025

BRAND: Ve zalux

ETIM_GROUP: EG000028 - Lamps

ETIM_CLASS: EC000399 - Indication- and signalling lamp

SYNONYM: Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp



FEATURES

Nominal current:	25 mA	Suitable for pointer:	NO
Colour:	Colourless	Halogen:	NO
Socket:	BA7s	Technology:	Incandescent lamp
Luminous flux:	-lm	Xenon:	NO
Colour temperature:	2700 K	Average nominal lifetime:	2000 h
Total length:	20 mm	Lamp voltage:	48 V
Diameter:	6.8 mm	Lamp power:	1.2 W
Lamp shape:	Tube, single-ended	Suitable for round flashing luminaire:	NO
Krypton:	NO	Energy efficiency class according to EU regulation 2019/2015:	Not required

PACKING_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p>

