

## Fluorescent Tube basic 18W/740 T8 4000K 740



### Fluorescent Tube T8 18W/740 4000K – Cool White Light

This 18-watt T8 fluorescent tube emits cool white light (4000K) with a color rendering index of 70 (Ra). It features a G13 base and measures 60 cm in length, fitting standard fixtures. Ideal for offices, warehouses, and general-purpose lighting. Energy-efficient and reliable with a long service life.

|                 |                             |
|-----------------|-----------------------------|
| ARTICLE_NUMBER: | PA 05902                    |
| CHANGED_LAST:   | 05-08-2025                  |
| BRAND:          | Patron                      |
| ETIM_GROUP:     | EG000028 - Lamps            |
| ETIM_CLASS:     | EC000108 - Fluorescent lamp |
| SYNONYM:        | Fluorescent lamp, Lamp      |



## FEATURES

|                             |         |                                                               |                           |
|-----------------------------|---------|---------------------------------------------------------------|---------------------------|
| Colour:                     | White   | Length:                                                       | 589 mm                    |
| Lamp power:                 | 18 W    | Internal reflector:                                           | NO                        |
| Application:                | General | Full spectrum lamp:                                           | NO                        |
| Socket:                     | G13     | Colour of light:                                              | 740                       |
| Luminous flux:              | 1060 lm | Suitable for emergency lighting:                              | NO                        |
| Colour temperature:         | 4000 K  | Ring diameter:                                                | -mm                       |
| Beam angle:                 | -°      | Double-walled:                                                | NO                        |
| Colour rendering index CRI: | 70-79   | Colour of light according to EN 12464-1:                      | Neutral white 3300-5300 K |
| Splitter protection:        | NO      | For application at low temperatures:                          | NO                        |
| Tube diameter:              | 26 mm   | Suitable for explosion proof luminaires:                      | NO                        |
| Lamp efficacy:              | 59 lm/W | Average nominal lifetime:                                     | 8000 h                    |
| Ignition strip:             | NO      | Weighted energy consumption in 1000 hours:                    | 18 kWh                    |
| Fast ignition:              | NO      | Lamp designation:                                             | T8                        |
| Starterless operation:      | NO      | Energy efficiency class according to EU regulation 2019/2015: | A                         |

## PACKING\_INFORMATION

|              |                                                  |
|--------------|--------------------------------------------------|
| WEIGHT       | 0 gr                                             |
| PACKING_CODE | CT                                               |
| PACKING_FORM | Cardboard<br><p>A cardboard box or container</p> |
| STATISTICS   | 85393190                                         |

