

G13 Fl. tube T8 26x1200 mm 36W 840 Belling



Fluorescent Tube T8 36W/840 4000K – Cool White Light

This 36-watt T8 fluorescent tube with G13 base emits bright cool white light (4000K) and delivers 3350 lumens. With a CRI of 80, it's ideal for offices, workshops, and commercial environments. The tube measures 26 mm in diameter and 1200 mm in length. Lifespan: 15,000 hours. Energy class G

ARTICLE_NUMBER: 50261273684BE

CHANGED_LAST: 05-08-2025

BRAND: Belling

ETIM_GROUP: EG000028 - Lamps

ETIM_CLASS: EC000108 - Fluorescent lamp

SYNONYM: Fluorescent lamp, Lamp



FEATURES

| | | | |
|-----------------------------|---------|---|---------------------------|
| Colour: | White | Length: | 1200 mm |
| Lamp power: | 36 W | Internal reflector: | NO |
| Application: | General | Full spectrum lamp: | NO |
| Socket: | G13 | Colour of light: | 840 |
| Luminous flux: | 2500 lm | Suitable for emergency lighting: | NO |
| Colour temperature: | 4000 K | Ring diameter: | -mm |
| Beam angle: | -° | Double-walled: | NO |
| Colour rendering index CRI: | 80-89 | Colour of light according to EN 12464-1: | Neutral white 3300-5300 K |
| Splitter protection: | NO | For application at low temperatures: | NO |
| Tube diameter: | 26 mm | Suitable for explosion proof luminaires: | NO |
| Lamp efficacy: | 90 lm/W | Average nominal lifetime: | 12000 h |
| Ignition strip: | NO | Weighted energy consumption in 1000 hours: | 36 kWh |
| Fast ignition: | NO | Lamp designation: | T8 |
| Starterless operation: | NO | Energy efficiency class according to EU regulation 2019/2015: | T8 |

PACKING_INFORMATION

| | |
|--------------|--|
| WEIGHT | 0 gr |
| PACKING_CODE | BX |
| PACKING_FORM | Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one-off use, depending on the product</p> |
| STATISTICS | 85393190 |

