

Busch Rotary Dimmer Flush Mounted Inserts Turn/push button



Busch Rotary Dimmer Flush Mounted Inserts Turn/push button 230V 2...360 V-A | 6523 UR-104-500

ARTICLE_NUMBER: 2CKA006512A0354

CHANGED_LAST: 06-08-2025

BRAND: ABB Busch-Jaeger

ETIM_GROUP: EG000013 - Domestic switching devices

ETIM_CLASS: EC000025 - Dimmer

SYNONYM: Adapter plug, Dimmer, Plug adapter



FEATURES

Mounting method:	Flush-mounted	Impact strength:	IK00
Assembly arrangement:	Basic element	Nominal voltage:	230 V
Method of operation:	Turn/push button	Control voltage:	220 ~ 240
Colour:	Black	Transparent:	NO
Halogen free:	NO	Surface finishing:	Matt
Number of units:	NO	Suitable for degree of protection (IP):	IP20
Connection type:	Screwed terminal	Core cross section:	1 ~ 2.5
Surface protection:	Untreated	Device width:	71 mm
Power consumption:	-W	Device height:	71 mm
Frequency:	50 ~ 60	Device depth:	42 mm
Material quality:	Thermoplastic	Number of modules (module system):	42 mm
Type of load:	Universal and LED Retrofit	IFTTT support available:	NO
Material:	Plastic	Dimming phase cut-off (trailing edge):	YES
Type of fastening:	Mounting with screw	Dimming phase cut-on (leading edge):	YES
Light value memory:	YES	Min. depth of built-in installation box:	20 mm
Substation input:	NO	App control via Bluetooth:	NO
RAL-number (similar):	NO	Nominal power resistive load:	10 ~ 360
Serial dimmer:	NO	Nominal power inductive load:	- VA
Applicable with movement sensor:	NO	Nominal power capacitive load:	- VA
Applicable with transmission button:	NO	Compatible with Apple HomeKit:	NO
Applicable with infrared button:	NO	Compatible with Google Assistant:	NO
Applicable with presence indicator:	NO	Compatible with Amazon Alexa:	NO
Applicable with button:	NO	Max. switching power LED:	360 W
Applicable with time switch/timer:	NO	Min. brightness controllable:	NO

PACKING_INFORMATION

WEIGHT	0 gr
PACKING_CODE	BX
PACKING_FORM	Box <p>A non-specific term that refers to a non-flexible, three-dimensional packaging with closed sides that can be completely enveloped and made of any material. Although some boxes are suitable for reuse or rescue, they can also be for one -off use, depending on the product</p>
STATISTICS	85365080

