

Wernhoutseweg 38A 4884 AW Wernhout The Netherlands Section 2.3
Section

MF T1 1/4 4.2x14 mm 1.5V 90mA Lensend



As a specialist in this field, Bailey has built an extensive wide range of indication and signalling lamps over the many years being active in this industry. If Bailey doesn't know the lamp your're loooking for it probably no longer exists. The subminiature types are the smallest lights. Applications: switches, control panels, signaling devices and automotive industry.

| 020515014 |
|---|
| 126 - CURRENT |
| 04-07-2024 |
| Bailey |
| EG000028 - Lamps |
| EC000399 - Indication- and signalling lamp |
| Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp |
| |



Page: 1/3

BTW NL857194811B01 KVK 67841333





info@vezalux.nl

www.vezalux.com Ø

Feature

| Lamp power: | 0.14 ~ 0.14 W | Colour temperature: | 2700 K |
|----------------|--------------------|--|--------|
| Lamp voltage: | 1.5 ~ 1.5 V | Diameter: | 4.2 mm |
| Luminous flux: | 2 lm | Total length: | 14 mm |
| Socket: | Midget flanged | Suitable for torches: | No |
| Technology: | Incandescent lamp | Suitable for pointer: | No |
| Lamp shape: | Tube, single-ended | Suitable for round flashing luminaire: | No |
| Halogen: | No | Nominal current: | 90 mA |
| Krypton: | No | Average nominal lifespan: | 1000 h |
| Xenon: | No | Energy efficiency class: | G |
| Colour: | Colourless | | |

Packaging data

| Weight | 1.5 gr |
|--------------|----------|
| Width | 14 mm |
| Height | 5 mm |
| Length | 5 mm |
| Customs code | 85392998 |



BTW NL857194811B01 KVK 67841333

Page: 2/3



0

Wernhoutseweg 38A 4884 AW Wernhout The Netherlands

+31 (0)76 - 59 712 20

info@vezalux.nl

www.vezalux.com Ø



BTW NL857194811B01 KVK 67841333

Page: 3/3

