





As a specialist in this field, Bailey has built an extensive wide range of indication and signalling lamps over the many years being active in this industry. If Bailey doesn't know the lamp your're loooking for it probably no longer exists. The subminiature types are the smallest lights. Applications: switches, control panels, signaling devices and automotive industry.

Article number:	200520148
Status product:	126 - CURRENT
Changed last:	04-07-2024
Brand:	Bailey
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC000399 - Indication- and signalling lamp
Synonym:	Incandescent lamp, Indication- and signalling lamp, Lamp, Traffic signalling lamp









Feature

1.2 ~ 1.2 W	Colour temperature:	2700 K
6 ~ 6 V	Diameter:	5 mm
W2x4.6d	Total length:	20 mm
Incandescent lamp	Suitable for torches:	No
Tube, single-ended	Suitable for pointer:	No
No	Suitable for round flashing luminaire:	No
No	Nominal current:	200 mA
No	Average nominal lifespan:	10000 h
Colourless	Energy efficiency class:	G
	6 ~ 6 V W2x4.6d Incandescent lamp Tube, single-ended No No	6 ~ 6 V Diameter: W2x4.6d Total length: Incandescent lamp Suitable for torches: Tube, single-ended Suitable for pointer: No Suitable for round flashing luminaire: No Nominal current: No Average nominal lifespan:

Packaging data

Weight	1 gr
Width	20 mm
Height	5 mm
Length	5 mm
Customs code	85392998

0









