

LED Silhouette Cross ST45 E27 2W 90lm 922 Clear



Within the LED Filament Silhouette series, the filament determines the character of the lamp. The light color (2200K) gives the lamps a warm appearance. The shape of the filament gives the lamp its final character. With the current state of the art, a lot is possible with the flexible filaments which can be positioned in all kinds of shapes and positions. The LED lamps are of course energy efficient and have an E27 base so that they can be turned into most table lamps and pendant lamps. Of course, you must pay attention to the position of the shape so that the lamp is not placed upside down or hanging. For a matching fixture, view the extensive Bailey range.

Article number:	L982728920
Status product:	126 - CURRENT
Changed last:	04-07-2024
Brand:	Bailey
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Colour consistency (McAdam ellipse):	SDCM4
Nominal current:	9 ~ 9 mA	Dimmable:	Yes
Power factor:	0.9	Diameter:	45 mm
Lamp power:	2 ~ 2 W	Length:	110 mm
Voltage type:	AC	Degree of protection (IP):	IP20
Luminous flux:	90 ~ 90 lm	Lamp designation:	Other
Rated luminous flux according to IEC 62612:	90 lm	Energy efficiency class:	G
Lamp efficacy:	45 lm/W	Min. number of switching cycles:	15000
Colour rendering index CRI:	90-100	Weighted energy consumption in 1000 hours:	2 kWh
Lamp shape:	Round/globe	Average nominal lifespan:	15000 h
Filament lamp:	Yes	Remote operation possible:	No
Type of glass/cover:	Other	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Photobiological safety according to EN 62471:	RG1
Socket:	E27	Compatible with Apple HomeKit:	No
Colour:	White	Compatible with Google Assistant:	No
Colour temperature:	2200 ~ 2200 K	Compatible with Amazon Alexa:	No
Housing colour:	Colourless	IFTTT support available:	No
Beam angle:	320 ~ 320 °		

Packaging data

Weight	40 gr
Width	46 mm
Height	112 mm
Length	46 mm
Customs code	85395200

