

## LED3 GU4 MR11 10V-30V DC 2.5W WW



The so-called LED spots from the BaiSpot series are characterized by a much longer lifespan and significantly less energy consumption than their halogen predecessors. Due to the compact design, they are easily interchangeable. Spots are mainly used to provide directed light from the ceiling or wall. Wide voltage range: 24V-28V/DC or 12V AC/DC. Ambient temperature range: -20°C to +35°C.

Article number:	L7204103033
Status product:	126 - CURRENT
Changed last:	04-07-2024
Brand:	Bailey
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



## Feature

Nominal voltage:	10 ~ 30 V	Colour consistency (McAdam ellipse):	Other
Nominal current:	208 ~ 208 mA	Dimmable:	No
Power factor:	1	Diameter:	35 mm
Lamp power:	2.5 ~ 2.5 W	Length:	37 mm
Voltage type:	DC	Degree of protection (IP):	IP20
Luminous flux:	210 ~ 210 lm	Energy Efficiency Index (EEI):	0.13
Rated luminous flux according to IEC 62612:	210 lm	Lamp designation:	MR11
Lamp efficacy:	84 lm/W	Energy efficiency class:	F
Luminous intensity:	440 cd	Min. number of switching cycles:	15000
Colour rendering index CRI:	80-89	Weighted energy consumption in 1000 hours:	3 kWh
Lamp shape:	Reflector	Average nominal lifespan:	20000 h
Filament lamp:	No	Remote operation possible:	No
Type of glass/cover:	Prism	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Photobiological safety according to EN 62471:	Other
Socket:	GU4	Compatible with Apple HomeKit:	No
Colour:	White	Compatible with Google Assistant:	No
Colour temperature:	3000 ~ 3000 K	Compatible with Amazon Alexa:	No
Housing colour:	Other	IFTTT support available:	No
Beam angle:	30 ~ 30 °		

## Packaging data

Weight	18 gr
Width	37 mm
Height	40 mm
Length	37 mm
Customs code	85395200

