

LED PL TC-DEL G24q 4P 10W (26W) 1000Lm 840 FR AC



LED PL TC-DEL G24q 4P 10W (26W) 1000Lm 840 FR AC

Article number: LPL10840FR

Status product: 126 - CURRENT

Changed last: 03-12-2024

Brand: Bailey

ETIM Group: EG000028 - Lamps

ETIM Classes: EC001959 - LED-lamp/Multi-LED

Synonym: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Colour consistency (McAdam ellipse):	SDCM5
Nominal current:	87 ~ 87 mA	Dimmable:	No
Power factor:	0.7	Diameter:	36 mm
Lamp power:	10 ~ 10 W	Length:	164 mm
Voltage type:	AC	Degree of protection (IP):	IP20
Luminous flux:	1000 ~ 1000 lm	Energy Efficiency Index (EEI):	0.13
Rated luminous flux according to IEC 62612:	1000 lm	Lamp designation:	Other
Lamp efficacy:	100 lm/W	Energy efficiency class:	F
Colour rendering index CRI:	80-89	Min. number of switching cycles:	15000
Lamp shape:	Tube, single-ended	Weighted energy consumption in 1000 hours:	10 kWh
Filament lamp:	No	Average nominal lifespan:	20000 h
Type of glass/cover:	Frosted	Remote operation possible:	No
Colour of light according to EN 12464-1:	Neutral white 3300-5300 K	With remote control:	No
Socket:	G24q	Photobiological safety according to EN 62471:	RG1
Colour:	White	Compatible with Apple HomeKit:	No
Colour temperature:	4000 ~ 4000 K	Compatible with Google Assistant:	No
Housing colour:	White	Compatible with Amazon Alexa:	No
Beam angle:	130 ~ 130 °	IFTTT support available:	No

Packaging data

Weight	150 gr
Width	42 mm
Height	42 mm
Length	185 mm
Customs code	85395200

