

G120 E27 AC 220-240V 15W 3000K 1200Lm Ra80



G120 E27 AC 220-240V 15W 3000K 1200Lm Ra80	
Article number:	CL E1709
Status product:	94E - Article ahead (GS1 Code)
Changed last:	02-10-2024
Brand:	Civilight
Type:	LED globelamp
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	220 ~ 240 V	Housing colour:	White
Nominal current:	120 ~ 120 mA	Beam angle:	200 ~ 200 °
Power factor:	0.5	Dimmable:	No
Lamp power:	15 ~ 15 W	Diameter:	120 mm
Voltage type:	AC	Length:	170 mm
Luminous flux:	1200 ~ 1200 lm	Degree of protection (IP):	IP20
Rated luminous flux according to IEC 62612:	1200 lm	Lamp designation:	Other
Lamp efficacy:	80 lm/W	Energy efficiency class:	A+
Luminous intensity:	0 cd	Min. number of switching cycles:	100000
Colour rendering index CRI:	80-89	Weighted energy consumption in 1000 hours:	15 kWh
Lamp shape:	Round/globe	Average nominal lifespan:	25000 h
Filament lamp:	No	Remote operation possible:	No
Type of glass/cover:	Opal	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Compatible with Apple HomeKit:	No
Socket:	E27	Compatible with Google Assistant:	No
Colour:	White	Compatible with Amazon Alexa:	No
Colour temperature:	3000 ~ 3000 K	IFTTT support available:	No

Packaging data

Weight	0.19 kg
Customs code	85395200

