

Halight W Gu10 AC 230V 6W 2700-2300K 345Lm 60Degr Ra90 D2W



Halight W Gu10 AC 230V 6W 2700-2300K 345Lm 60Degr Ra90 D2W

Article number: CL 22768

Status product: 130 - Dilapidated

Replacement code: CL 22830

Changed last: 02-10-2024

Brand: Civillight

Type: GU10 Haled 95

ETIM Group: EG000028 - Lamps

ETIM Classes: EC001959 - LED-lamp/Multi-LED

Synonym: Bulblamp, Candlelamp, Globelamp,
Lamp, LED, LED candle, LED capsule,
LED lamp, LED luster



Feature

Nominal voltage:	200 ~ 240 V	Colour consistency (McAdam ellipse):	SDCM5
Nominal current:	35 ~ 35 mA	Dimmable:	Yes
Power factor:	0.8	Diameter:	50 mm
Lamp power:	6 ~ 6 W	Length:	59 mm
Voltage type:	AC	Degree of protection (IP):	IP20
Luminous flux:	345 ~ 345 lm	Energy Efficiency Index (EEI):	0.14
Rated luminous flux according to IEC 62612:	345 lm	Lamp designation:	PAR16
Lamp efficacy:	57.5 lm/W	Energy efficiency class:	A+
Luminous intensity:	900 cd	Min. number of switching cycles:	100000
Colour rendering index CRI:	80-89	Weighted energy consumption in 1000 hours:	6 kWh
Lamp shape:	Reflector	Average nominal lifespan:	25000 h
Filament lamp:	No	Remote operation possible:	No
Type of glass/cover:	Clear	With remote control:	No
Colour of light according to EN 12464-1:	Warm white <3300 K	Photobiological safety according to EN 62471:	RG1
Socket:	GU10	Compatible with Apple HomeKit:	No
Colour:	White	Compatible with Google Assistant:	No
Colour temperature:	2100 ~ 2700 K	Compatible with Amazon Alexa:	No
Housing colour:	Colourless	IFTTT support available:	No
Beam angle:	36 ~ 36 °		

Packaging data

Weight	0.09 kg
Width	50 mm
Height	65 mm
Length	50 mm
Customs code	85395200

