

Halight MR16 AC 12V 7W 4000K 345Lm 36Degr. Ra90



Halight MR16 AC 12V 7W 4000K 345Lm 36Degr. Ra90	
Article number:	CL 25751
Status product:	94E - Article ahead (GS1 Code)
Changed last:	27-11-2024
Brand:	Civilight
Type:	LED spot MR16
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC001959 - LED-lamp/Multi-LED
Synonym:	Bulblamp, Candlelamp, Globelamp, Lamp, LED, LED candle, LED capsule, LED lamp, LED luster



Feature

Nominal voltage:	12 ~ 12 V	Housing colour:	Colourless
Nominal current:	620 ~ 620 mA	Beam angle:	36 ~ 36 °
Power factor:	0.9	Dimmable:	No
Lamp power:	7 ~ 7 W	Diameter:	50 mm
Voltage type:	AC	Length:	50 mm
Luminous flux:	345 ~ 345 lm	Degree of protection (IP):	IP20
Rated luminous flux according to IEC 62612:	345 lm	Lamp designation:	MR16
Lamp efficacy:	49 lm/W	Energy efficiency class:	A
Luminous intensity:	650 cd	Min. number of switching cycles:	100000
Colour rendering index CRI:	90-100	Weighted energy consumption in 1000 hours:	7 kWh
Lamp shape:	Reflector	Average nominal lifespan:	20000 h
Filament lamp:	No	Remote operation possible:	No
Type of glass/cover:	Clear	With remote control:	No
Colour of light according to EN 12464-1:	Neutral white 3300-5300 K	Compatible with Apple HomeKit:	No
Socket:	GU5.3	Compatible with Google Assistant:	No
Colour:	White	Compatible with Amazon Alexa:	No
Colour temperature:	4000 ~ 4000 K	IFTTT support available:	No

Packaging data

Weight	0.09 kg
Width	50 mm
Height	65 mm
Length	50 mm
Customs code	85395200

